





We welcome you to the new world of Blomberg.


A world where green is respected, design is timeless and expectations are exceeded.

A world which is...

- ... in harmony with nature through products designed to preserve natural resources.
- ... in harmony with your home through a universal design that will complement various styles.
- ... in harmony with you through practical solutions, unique innovations and reliable quality.

Let us discover this world together.

BLOMBERGIN HARMONY WITH YOUR LIFE







Reddot Design Award

The Reddot Design Award ranks among the world's biggest design competitions, and is recognised internationally as a seal of quality. Blomberg's logitronic dishwasher GSN 1580 XB won the Reddot Design Award, confirming it as an innovative appliance with outstanding design features.



reddot design award

EcoTopTen

EcoTopTen is a major initiative, promoting reduced energy consumption and environmentally friendly product innovation. The research project and the campaign are both supported by the German Federal Ministry for Education and Research, the German Federal Ministry for Consumer Protection, Nutrition and Agriculture, as well as the Foundation Zukunftserbe ("Heritage of Future"). The German Eco-Institute selected Blomberg heat pump dryer TKF 1350 S as one of only three products nominated in the EcoTopTen ranking. The following Blomberg refrigerator models were recommended for their energy saving: TSM 1541 A++, KSM 9650 X A++, KSM 9650 X A++, DSM 1510 A++, DSM 9630 X A++ and DSM 9630 A++. Also the following dishwasher models were recommended for their energy saving and environment-friendly features: smarTouch, GSN 9585 XB, GSN 9580 XB, GVN 9380 XL, GVN 1380, GIN 9585 XB.



Stiftung Warentest

Stiftung Warentest is the leading consumer safety group in Germany. Blomberg's heat pump dryers TKF 1350 A/S and TKF 7350, washing machines WAF 7340 and WAF 7442 SL, and dishwasher modelsGIN 1580 XB and GVN 1380 have been recommended by Stiftung Warentest for their outstanding quality.



Excellence in Design Award

Blomberg mirror refrigerator MDND 1880 received a Bronze award in appliance DESIGN Magazine's 22nd Annual Excellence in Design Awards Competition. The purpose of appliance DESIGN's annual design competition is to honour those designers who have excelled in meeting the modern challenge of harmoniously melding technology and industrial design.



Plus X Award

The Plus X Award is Germany's biggest competition in the consumer electronics market and was created to offer consumers meaningful and reliable evaluation of goods. In the big white goods category Blomberg received several Plus X Awards: washing machine WAF 1560 S, built-in oven BEO 9576 X and free standing cooker BGM 15320 DX PR for design; dishwasher GSN 1581 X for design and innovation; tumble dryer TKF 1350 S for innovation; refrigerator KND 1650 X for innovation and ecology; washing machines WAF 7360 AQ and WAF 7462 S, and dryer TKF 7459 A for ecology; built-in oven BEO 1690 X, side-by-side refrigerator KQD 1360 X, dishwashers GLN 9220 E and smarTouch™, and built-in oven BEO 9770 X for design and ease of use; washing machines WNF 8428 A30 and WNF 8447 A50, and dishwasher GSN 9582 XB7 for ease of use and ecology; refrigerator MDND 1880 and built-in oven BEO 9761 X for design and ecology; and dryer TKF 8439 A for ease of use.


















Energy+ Award

The European Commission commended Blomberg's refrigerator/freezer CT 1300 A the most energy efficient refrigerator at the Energy+ Competition. With the daily electricity consumption of a 16 W light bulb, this Blomberg refrigerator has lower annual average energy consumption than any comparable appliance. In terms of the EU label classification, it qualifies for an A++ label.



VDE









All Blomberg appliances have a 3-year warranty as standard to give you complete piece of mind.



CONTENTS

BUILT-IN

OVENS **8-23**



FREESTANDING

COOKERS **58-65**



HOBS **24-33**



WASHING MACHINE **66-73**



WASHING MACHINE **34-39**



TUMBLE DRYER **74-83**



DISHWASHER **40-47**



DISHWASHER **84-93**



REFRIGERATION **48-55**



REFRIGERATION **94-111**



TECHNICAL DETAILS
BUILT-IN
FREESTANDING

112 114-118 119-126 BUILT-IN INSTALLATION DIAGRAMS

127-129



BUILT-IN COLLECTION 2012






IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

'A' Energy Performance

All Blomberg built in ovens are 'A' energy rated, using 20% less energy than standard 'A' rated models. They offer the best performance with minimum energy consumption.





IN HARMONY WITH THE FUTURE

ADVANCED TECHNOLOGY



SURF - Surround Flow Cooking Technology

Blomberg introduces a new technology that will bring you to the next level of cooking. Catch the new cooking wave and experience *SURF*



With the fan cooking function, the hot air is circulated inside the oven cavity by means of a fan located on the back wall of the oven. This leads to uneven heat distribution between the front, sides and back parts of the cavity. As a result, the back part of the food may end up losing its juiciness while the front is undercooked.

To solve this problem, Blomberg developed the unique surround flow cooking technology. In *SURF* system, the hot air is blown through the ventilation holes (located on the sides of the cavity) into the centre. This air circulation method results in more homogenous air distribution. Consequently, the food is cooked more evenly, and as juicy and tender on the front as is in the back.

Furthermore, since the air moves in circles on each level, *SURF* allows you to cook three different meals at the same time, without mixing their flavours or odours.



IN HARMONY WITH YOU

ELEGANT DESIGN



Practical control panels

Blomberg developed a variety of control panels from the simple mechanical timer to the latest touch-control system. All controls are positioned in the centre of the panel for a symmetrical look, and ease of use. The dials have a stainless steel look, in line with the oven handle. For a perfect and clean line finish look, some of our Blomberg ovens also feature the push-in pop-out knobs.

The **electronic timer** can be controlled with practical rotary knobs or features a touch control panel for full flexibility and control. The electronic display is easy to use and recommends the most suitable cooking rack level based on the selected cooking function. For improved cooking performance, the ovens feature a sensitive temperature adjustment in 5°C increments (between 40 and 280°C).

The Blomberg **digital timers** feature easy to view and easy to use symbols and functions. The light of the display panel can be adjusted in 3 different shades and the timer can be set at 3 separate tones. in addition delay timer option is designed to help you manage your time efficiently.

Wide glass window

Designed as a centred, wide and transparent glass window, it will allow you to see the oven interior without opening the door, avoiding heat and energy loss during the cooking cycle.





Robust oven door

All Blomberg ovens feature a full glass door (4 layers door for the pyrolytic 'programme clean' BEO 9790 X model) that can support heavy dishes and trays up to 22.5kgs. In addition the new design hinge system allows easy door opening and removal — making the oven cleaning even easier.

Made of stainless steel, the straight and solid handle will create a modern finish look while complementing perfectly the control knobs.



IN HARMONY WITH YOU

PRACTICAL

Telescopic shelf system

The Blomberg ovens BEO 9576 X and BEO 9790 X are equipped with the telescopic shelf system. The extending arms provide an easier access to the cooking tray. The integrated stop mechanism also guarantees safety when basting and serving dishes.



Large oven capacity

With 65 litres oven capacity, Blomberg offers one of the most spacious oven interior in its class. It will provide enough room to roast a large turkey or prepare a big feast for your family or friends. The full size tray will also gives you optimal cooking space while the deep tray design is ideal for roasting and baking.



Booster function

The booster function has been designed to save you time. With this setting, all heating elements are activated at the same time for quick pre-heating, and the oven is heated 35% faster in comparison to standard functions. Once the desired temperature is reached, the oven will automatically switch back to the preset cooking mode.



Interior light

The Blomberg ovens BEO 9414 X and BEO 9576 X feature an interior light with cylindrical lamp placed either on the rear or the sides of the oven cavity. It will give you an easy cooking progress checking without opening the oven door. The grey coloured cavity surface also help reducing reflection on the glass door.

The halogen lamp, available on BEO 9790 X and BDO 9564 X provides even more energy efficient and brighter white lighting.

Recommended shelf level

The electronic timer of your Blomberg oven will indicate the recommended shelf level based on the cooking function you choose. To make the cooking process even easier, the level of each shelf is indicated with a visible number from 1 to 5.

IN HARMONY WITH NATURE

EASY TO CLEAN

Pyrolytic 'Programme Clean' technology

1 Pyrolytic 'Programme Clean' is the latest cleaning technology where the oven cleans itself at the touch of a button. During the pyrolytic selfcleaning cycle, the heat within the oven cavity is boosted to an intense 480°C turning food scraps, far and oil spillages into dust. All you need to do is simply wipe away the leftovers with a damp cloth.

Blomberg Pyrolytic 'programme clean' BEO 9790 X features 2 cleaning programmes; Full 'Programme Clean' (120 minutes) for heavy soiled ovens and Eco 'Programme Clean' (90 minutes) for lightly soiled ovens.



Odour filter

The Blomberg pyrolytic 'programme clean' oven BEO 9790 X features a special odour filter built in to the ventilation unit. The special catalyst warmer placed inside the filter absorbs and destroys bad odours and grease during cooking to ensure that only fresh air circulates inside your kitchen.

Easy Clean enamel

The Blomberg BDO 9564 X is coated with an 'Easy Clean' grey enamel. This long lasting finish gives an elegant look and allows an easy, quick and ecologic cleaning of the oven cavity and trays.



Smooth cavity

With no visible screws or connection points, the surface of the Blomberg oven cavity gives a shiny and smooth surface. It will helps eliminating the risk of food and dirt particle collection on the cavity, and will make oven cleaning easier.



IN HARMONY WITH YOU

EASY TO CLEAN

Catalytic panel

The catalytic panel mounted on the back (and side wall on the BDO 9564 X) of the oven cavity absorbs cooking grease and reduces food odours, reducing the need of aggressive cleaning and harsh chemicals

Full glass door

All Blomberg ovens feature full glass doors. All models have easily removable doors for a thorough wipe of the door itself or to allow easy access to the oven cavity. In certain models the glass window is also removable to allow you to clean the glass separately.



Easy-to-remove side racks

The side racks fixed to the oven can be easily detached without any tool allowing a complete oven cleaning with minimal effort.





Fingerprint free stainless steel

All Blomberg ovens in the range have fingerprint free panel and doors, so you won't have to worry about leaving behind a mark.



IN HARMONY WITH NATURE

SAFE

Cool door

All Blomberg ovens have full glass inner doors that minimize the exterior temperature of the oven. The pyrolytic 'programme clean' oven BEO 9790 X even features a cool door with four layers of glass. During the intense cleaning cycle, the oven automatically locks to ensure that the external temperature does not exceed a safe 70°C.

Key lock

For complete piece of mind, the Blomberg electronic ovens have a key lock, which allows you to lock the timer settings. The function will prevent accidental pressing of buttons while it is in operation.

Automatic shut-down

The Automatic shut off will be activated when the oven has been left working for an unusually long period of time.

Recessed grill

The top grill / heater in the Blomberg ovens as been recessed to avoid the risk of self injury while reaching the top shelf. In addition, it minimizes the temperature of the oven handle and knobs for a safe touch.



IN HARMONY WITH YOU

COOKING FUNCTIONS



Booster

All heating elements are activated for 35% quicker preheating. This function is ideal when you are running short on time.



Rottom heater

Only the base cooking element is in operation – ideal for slow cooking, pizza, quiches and pastries that require additional heat at the base.



Conventional

The top and bottom heating elements are in operation. For even heating from the above and the below - ideal for stews, casseroles, pastries and meats.



Low grill

Only the mid part of the grill is in operation. This is an energy-efficient function designed to grill a small amount of food with minimum energy consumption.



Grill

The full grill is in operation. This function is ideal for grilling and browning larger quantities of food.



Fan cooking

The circular heater and the fan motor operate together. The heat in the oven is distributed evenly in the centre. In this setting, you can cook 2 or 3 different foods that require the same or similar temperature settings.



Grill+fan

The full grill and fan motor operate together. This function is ideal for lean meats and fish.



Defrost

The fan motor is in operation - Quick and hygienic, ideal for delicate food like quiches which require a lower temperature defrost



Conventional+fan

The bottom and top heating elements operate together with the fan motor. This function is ideal for using the whole oven, with particular focus on browning and base heat.



3D cooking

Top, bottom and central heating elements operate together with the fan motor. Convenient and time saving, this function allows you to cook 3 separate dishes simultaneous on different shelves.



Warm keeping

Ideal for keeping the food warm until it is time for serving. It also helps cakes and bread to rise.



Pizza

Bottom heating element, circular heater and fan are in operation. This function is ideal for cooking pizza.



Slow cooking

The fan motor and central heater operate together. It allows better flavour distribution and helps tenderise many meat dishes through the cooking process as well as saving energy.



SURF surround flow cooking

The fan motor and central heater are in operation. The hot air is blown through ventilation holes located on the sides of the cavity into the centre. This function allows you to cook 3 separate dishes at the same time without blending their flavours.



Full 'Programme Clean'

This is a 120-minute self-cleaning cycle for heavily soiled ovens. During the cleaning cycle, the heat within the oven cavity is boosted to an intense 480°C turning cooking residues, oil and fat spillages into dust.



Eco 'Programme Clean'

This is a 90-minute self-cleaning cycle for energy saving. The heat within the oven cavity is boosted to 480°C. Due to a shorter cleaning cycle, this pyrolytic cycle is suitable for lightly soiled ovens.

BUILT-IN SINGLE OVEN



BEO 9790 X

Electronic Pyrolytic ' Programme clean' Multifunction Oven

A Energy rated - 20% more energy efficient than A class 2 Cleaning programmes - Full pyro 120 min; Eco pyro 90 min

Main Features

- Large display programmable electronic timer with rotary control
- Large oven capacity 65 It
- 12 cooking functions: Conventional, conventional+fan,
- fan cooking, 3D, pizza, grill+fan, grill, low grill, slow cooking, bottom heater, warm keeping, defrost
- Booster, fast to-the-degree heating
- Electronic temperature control, 5°C sensitive
- Pyro Clean™ enamel surface
- 5-level removable side racks
- Interior light with 2 square halogen bulbs

Additional Features

- Cool door with quadruple glass
- Key lock
- Pyrolytic door lock
- Odour filter

Accessories

- Cooking tray
- Baking tray
- Wire shelf
- Pizza pan
- 3-level telescopic racks

Product Dimensions

HxWxD: 595x594x567 mm

Fingerprint free stainless steel with black glass control panel









BUILT-IN SINGLE OVEN





BEO 9576 X

Electronic Multifunction oven

A Energy rated - 20% more energy efficient than A class **SURF - Surround Flow Cooking Technology**

Main Features

- Large display programmable electronic timer with rotary control
- Large oven capacity 65 It
- 12 cooking functions: Conventional, conventional+fan, fan cooking, 3D, pizza, grill+fan, grill, low grill, slow cooking, bottom heater, warm keeping, defrost
- Booster, fast to-the-degree heating
- Electronic temperature control, 5°C sensitive
- Easy Clean Enamel surface
- 5-level removable side racks
- Interior light with 1 cylindrical halogen bulb

Additional Features

- Removable full width glass inner door
- Key lock
- Tilted grill for easy cleaning
- Catalytic liners on back wall
- Rotary knobs

Accessories

- Cooking tray
- Baking tray
- Wire shelf
- 1-level telescopic rack

Product Dimensions

■ HxWxD: 595x594x567 mm

• Fingerprint free stainless steel with black glass control panel









BUILT- IN SINGLE OVEN



BEO 9414 X

Fan oven

A Energy rated - 20% more energy efficient than A class

Main Features

- Programmable large digital timer
- Large oven capacity 65 It
- 4 cooking functions: defrost, grill+fan, grill, Fan cooking
- Easy Clean Enamel surface
- 5-level removable side racks
- Interior light with 1 cylindrical halogen bulb

Additional Features

- Key lock
- Catalytic liners on back wall
- Pop in pop out knobs

Accessories

- Cooking tray
- 2 wire shelves with stop position

Product Dimensions

HxWxD: 595x594x567 mm

• Fingerprint free stainless steel with black glass control panel









BUILT-IN DOUBLE OVEN





BDO 9564 X

Electronic Multifunction Double Oven

AA Energy rated - 20% more energy efficient than A class

Main Features

- A Energy rated 20% more energy efficient than A class
- Large display programmable electronic timer with rotary control
- Large oven capacity 65 It
- 12 cooking functions: Conventional, conventional+fan, fan cooking, 3D, pizza, grill+fan, grill, low grill, slow cooking, bottom heater, warm keeping, defrost
- Booster, fast to-the-degree heating
- Electronic temperature control, 5°C sensitive
- Side panels with self clean catalytic liners
- 5-level removable side racks
- Interior light with 2 square halogen bulbs

Top oven

- A Energy rated 20% more energy efficient than A class
- Large oven capacity 35lt
- Tilted grill for easy cleaning
- Side panels with self clean Catalytic liners
- Interior light

Additional Features

- Removable full width glass inner door
- Key lock
- Catalytic liners on back wall
- Pop in pop out knobs for top oven

Accessories

- Cooking tray
- Baking tray
- **3** wire shelves with stop position

Product Dimensions

HxWxD: 895x594x567 mm

Colour

• Fingerprint free stainless steel with black glass control panel













Induction Technology

In the induction technology, an electronically powered coil produces an electromagnetic field meaning the induction hob only heats up if there is a pan on the cooking surface. The magnetic field penetrates the metal of the saucepan and sets up an electric current, generating heat which warms up the food or liquid inside. As soon as the saucepan is removed from the cooking surface, the area turns off automatically. Induction hobs can be used with any magnetic metals pans such as iron or stainless steel finish

The induction hob may get hot after the cooking process because of the pan left on the hotplate. In that case, the residual heat indicators will warn you with an "H" sign until the zone is cool enough to touch. When the pot is removed, the current is broken, and the hob is automatically turned off. The automatic stop system will also be activated if a pot is left on the cooking zone for an unusually long period of time. In case of liquid boiling over onto the control panel, an anti-overflow system will automatically shut off the power to the hob, and an "F" sign will appear on the display. In addition, a child lock function prevents accidental pressing of buttons.

Energy efficient and fast

By means of intelligent pan recognition, the induction hob automatically detects the pan size and only generates heat under the bottom of the pan. Consequently, the food is cooked twice as fast as a gas hob while consuming 43% less energy. In addition, the temperature on the induction zone is controlled by an intelligent temperature limiter feature and is contained at 300°C, restricting excess heat generation. Furthermore, the induction hob does not warm the air around it, contributing to energy efficiency.

Timer

The timer allows you to set a cooking time for each cooking zone separately. When the cooking time is up, the hob will automatically switch off the zone and a buzzer will signal the end of cooking.



Easy to clean

Design with a stylish and smooth glass surface, the ceramic top of the new Blomberg induction hob is scratch resistant and easy to clean, further enhancing the appearance and functionality of your kitchen.




Booster

The Booster function gives you the an instant heat, quick and responsive control. You can program each cooking zone to start heating at the maximum power, and then return to the set temperature once the food starts to be cooked.

Elegant design

The Blomberg induction hob is designed with front and back stainless steel frames and bevelled side edges to withstand everyday use. The touch control panel is positioned in the front for ease of use.



Precise heat adjustment

Blomberg induction hob features an easy to use touch control panel giving full control and flexibility on the level of heat for each cooking zone. You can therefore have an instant boiling or slow bain marie heating processes in a few seconds.





Elegant design


Blomberg ceramic hob features a scratch- resistant, easy-to clean smooth surface. It is designed with a stainless steel front and back frames and bevelled side edges to withstand everyday use, further enhancing the appearance and functionality of your kitchen.



Easy to use control panel

Designed with a touch control panel, the Blomberg ceramic hob allows you to set precise temperature and settings. Each heating zone is also operated by a separate touch point meaning they can be individually and easily regulated.

Timer





Heat-up and simmering

With this setting the hob first operates at maximum power for instant heating for a preset time. Then, it automatically switches to a less powerful mode for simmering.

Safe

To inform you that the cooking zone is not cool enough to touch safely, the **residual heat indicators** warn you with a visible "H" sign on the display. The **child lock** will prevent accidental pressing of buttons that might change the cooking setting and temperature.

The **anti overflow system** automatically shuts off the power in case of liquid boiling over onto the control panel. Also, the hob automatically switches itself off if the zone is left on for a long period of time.





Elegant design

The Blomberg gas hob is made of modern stainless steel. The front controls facilitate temperature settings and match the knobs of the Blomberg ovens for a harmonious look in your kitchen.

Under dial instant ignition

With new and improved control knobs, the ignition is now quicker and easier. Simply press and turn the dial for instant auto ignition and you are ready to cook.



Flame safety device

For your total safety and peace of mind, Blomberg gas hob has a 'flame safety device' fitted as standard. The device senses when the gas has gone out and automatically cuts off the gas.



Practical pan supports

Blomberg pan supports are cast iron finish and have been designed to guarantee maximum stability and generous spacing between the burners. Their continuous straight design allows you to slide pots and pans from one burner to another very easily.



Wok burner

The Blomberg triple crown wok burner reaches an efficient 3800W. It will allow you to cook food rapidly without compromising any nutritional values. The crown ensures that the heat is distributed evenly, resulting in excellent cooking performance over a shorter period of time.





BUILT-IN HOBS

MIN 54302 X

MKN 54322 X





60 cm Induction Hob

Main Features

- 4 induction zones
- Front and back stainless steel frames
- Bevelled side edges
- Front Touch control with separate touch pads
- 9 cooking levels per zone
- Precise heat adjustment
- On / off indicator
- Individual Timer for all zones
- Intelligent pan size recognition
- Booster, fast to the degree heating
- Heat-up and simmering

Safety

- Child lock
- Individual residual heat indicators
- Anti-over flow
- Automatic stop system

Product Dimensions

HxWxD: 55x580x510 mm

Colour

Stainless steel frames

60 cm Vitroceramic Hob

Main Features

- 4 vitroceramic cooking zones including Dual zone and extended zone
- Front and back stainless steel frames
- Bevelled side edges
- Front Touch control with separate touch pads
- 9 cooking levels per zone
- Digital display
- Precise heat adjustment
- On / off indicator
- Individual Timer for all zones
- Intelligent pan size recognition
- Heat-up and simmering

Safety

- Child lock
- Individual residual heat indicators
- Anti-over flow
- Automatic stop system

Product Dimensions

HxWxD: 55x580x510 mm

Colour

Stainless steel frames

















GEN 53415 E

(60)



60cm gas hob	
Main Features 4 gas burners including 1 wok burner Cast iron pan supports Auto ignition front control knobs One piece Hob surface for easy cleaning	
Safety - Flame safety device for all burners	
Product Dimensions - HxWxD: 98x580x510 mm	
Colour Stainless steel	
* Picture used as illustration purposes only	





IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY


Minimum energy consumption

Blomberg washing machine WMI7462 W20 has been designed to achieve outstanding fabric care and wash results using the least possible amount of detergent, water and electricity. It is A++ energy efficient, **consuming 20% less energy than "A" class standard models**.

Automatic water adjustment system

For conservation of water resources, Blomberg washing machine is equipped with an automatic water adjustment system, which enables your machine to adjust its water intake based on the amount of the laundry





PRACTICAL

Smart programmes

The Blomberg integrated washing machine has a variety of wash programmes for different textile types. In addition special programmes have been developed to meet any of your laundry care requirements.

Cotton 20



Lingerie



Machine care



Dark wash



Hygiene



Time Saving programmes and functions

The Blomberg WMI7462W20 combines time saving programmes with clever options to give you complete control over your laundry task and therefore maximise your free time.

The 'Fast Full Load' will wash a full load in just 39 minutes while the 'Mini 14' will wash 2kg of laundry in just 14 minutes. You can also select the Time delay function to allow you to set time and wash at a time convenient for you.



IN HARMONY WITH NATURE

SAFE

aquAvoid

aquAvoid is an anti-leak system designed to protect your home against flooding. The Blomberg washing machine is equipped with aquAvoid security system, which cuts off the water intake to the machine, should leakage occur from the internal hose



Durable heater

All Blomberg washing machines are equipped with a special nickel-coated heater. This heater is a hundred times more durable than regular heaters. Thus, it prolongs the life of your washing machine. The heater also eliminates the need for scaling arising from hard water, and consequently saves energy and time while heating the water.

Quality tested

For long life expectancy, we test 100% of our washing machines before they leave our factory. For maximum durability, 2% of all machines undergo a thorough audit test. Every machine is tested for safety and functionality. Furthermore, Blomberg washing machines are tested continuously for life cycle durability on various programmes.



BUILT-IN WASHING MACHINE





WMI 7462 W20

7kg Washing Machine

7 kg load capacity; 1600 rpm spin speed A++AA Mini LCD control with time remaining display Variable spin speed and temperature control

Programmes

 16 programmes including Mini 14', Fast Full Load, Dark Wash, Hygiene, Cotton 20, Refresh, Lingerie

Functions

Prewash/ Quickwash/ Rinseplus/ Anti crease

Main Features

- 24 h time delay and remaining time
- Liquid detergent compartment
- Automatic water adjustment system
- Durable heater

Safety

Child lock

Product Dimensions

HxWxD: 820x600x540 mm














IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Great performance

The Blomberg dishwasher GVN9483E has "A++AA" rating for energy consumption, cleaning performance and drying level, meaning it will consume up to 20% less energy than standard 'A' class models.





PRACTICAL



Multi detergent compatible

The Blomberg dishwasher is compatible with all types of liquid, powder and tablet detergents. Regardless of your choice of detergent, your dishwasher will give the same outstanding performance. Furthermore, the detergent container is user friendly and has cross opening lids for an easy refill.

Turbo fan drying

Turbo fan drying is an active ventilation system with increased air circulation. By means of this technology not only does your dishwasher achieve better drying performance but also leaves the dishes cool enough to touch at the end of the drying cycle.

Multi level wash

The Blomberg dishwasher uses a multi level wash system to provide immaculately clean dishes. In this system, two spray arms, placed in the bottom and the middle of the dishwasher, work in coordination with the showerhead at the top spraying water from every direction to reach even the most remote parts of your dishes.



IN HARMONY WITH NATURE

PRACTICAL



Half load

There is no need to wait for both baskets to be fully loaded to start your dishwasher. The half-load option offers complete load flexibility. No matter where you place your dishes, the half load function will wash them thoroughly optimising water consumption according to the dish load.

Auto Sense system

Using an advanced technology, the Auto Sense system automatically monitors the dirt level of the dishes and selects the cycle temperature and time accordingly. Simply select the function and your dishwasher will apply the most suitable wash programme with minimum water and energy

Time saving programmes

Blomberg offers some of the shortest programmes in the market, giving you perfect results every time. The Mini 30' washes lightly soiled dishes in 30 minutes while the Express 58' programme delivers an amazing "A" cleaning performance in just under an hour, helping you save time and money.

Salt and rinse aid indicators

In dishwashers, salt is used to adjust the water hardness level in order to avoid etching marks on delicate glassware. And, for sparkling dishes and glasses, rinse aid adds the finishing touch. The Blomberg dishwasher has salt and rinse aid indicators that will let you know when it is time for a refill.



EASY TO LOAD

Flexible upper basket

The Blomberg dishwasher is equipped with the smartRACK, a height-adjustable upper basket, which can be raised to make space for large pans or plates and baking trays in the bottom basket or lowered to hold tall glasses. This system allows you to adjust the basket height in one simple action, even when the basket is fully loaded. The height adjustable shelves for mugs that can be positioned at two separate levels depending on your needs.



Practical lower basket

To maximize space in the lower basket, Blomberg integrated dishwasher is equipped with **folding tines** that are easily folded down for easy placement of large pots and pans.



Sliding cutlery basket

The Blomberg dishwasher's cutlery basket slides easily in the lower basket allowing dishes and pans to be more effectively loaded. It can also be removed to make space for larger items.



IN HARMONY WITH NATURE

SAFE

Stainless steel interior

The Blomberg integrated GVN 9483 E has stainless steel high quality interiors that not only protect the machine from heat and corrosion, but also sanitise your dishes with the highest wash temperatures available.



aquaVoid™

In case the float system detects water leakage, safety switch activates the drain pump and deactivates the water inlet valve. The water inside the dishwasher is then discharged.



Quality tested

We test 100% of Blomberg dishwashers before they leave our factory. For maximum durability, 2% of all machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg dishwashers are tested for life cycle durability on various programmes.

Flow through heater

The heater on the Blomberg dishwasher is concealed to provide a safer and more convenient alternative to an exposed heater. This allows plastic dishware to be placed on the top or bottom baskets without the risk of damage.

Antibacterial seal

Food and dirt particles collected on the bottom of the dishwasher tank lead to bacteria formation. To maximise hygiene conditions, the dishwasher door is coated with an antibacterial seal that helps reduce bacteria for maximum hygiene.



BUILT-IN DISHWASHER





GVN 9483 E

60 cm Fully Integrated Dishwasher

13 place settings A++AA LCD Control display

Programmes

8 wash programmes:
 Prewash, Mini 30', Eco 50, Xpress58, Intensive 70, Delicate 40,
 Hygiene+, Auto Wash

Special Functions

- Half load
- Time delay

Main Features

- 24 h time delay
- Turbo fan drying
- Salt and rinse aid indicator

Interior Design

- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket

Safety

- aquAvoid™
- Antibacterial seal

Product Dimensions

HxWxD: 820-920x598x548 mm







BUILT-IN REFRIGERATION

The Blomberg refrigeration range of built in appliances has been developed to offer maximum performance, convenience and reliability.

A wide range of practical features combine with the latest cooling technology ensure all your cooling needs are met while style and finish reflect the excellent built quality and design of the collection.






IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

"A+" energy efficiency

Preservation of natural resources is a priority for Blomberg. Therefore all our cooling models are 'A+' energy rated consuming up to 25% less energy than standard 'A' rated appliances.





FUNCTIONAL

4-star freezing

 $\times \times \times$ All Blomberg freezers have 4-star rating for an efficient freezing performance. They can freeze and store food at a minimum temperature of -18°C, and for up to 12 months.

Frost free

Frost free technology is an advanced cooling system featured in the Blomberg integrated fridge freezers KNM1561i and KNM1551i. The system provides stable and even temperature distribution to keep fruit and vegetables fresher for longer. Frost free cooling creates a permanently cold environment, eliminating build-up of ice and bacteria in the freezer compartment. You will find food packs do not stick together. And best of all, you will not need to defrost your freezer any more

0-3°C super fresh zone

The super fresh zone featured in the model KNM1551i maintains the temperature of the compartment just above freezing point and keeps humidity at an optimum level. It ensures that fruit, vegetables, fish and meat retain their vitamin and nutritional values, subtle flavours and a fresh and attractive appearance for twice as long compared to a regular fridge.





IN HARMONY WITH NATURE

FUNCTIONAL



Glass shelves

The shelves are made of safety glass, and are highly impact resistant. They help to prevent food and beverages spilling onto lower shelves, making cleaning easier. They can easily be placed on different levels to allow maximum flexibility.

smartFIX hinge system

The Blomberg TSM1750u and FSE1630u feature a special hinge system to connect the furniture door to the fridge or freezer door without the need for extra drilling. This system can hold up to 60 kilos and provides easy access to the interior with a 115° door opening.

All hinges are made of heavy duty self closing type and therefore there is no risk of the doors being left ajar.



SAFE



Transparent freezer drawers

The front of the freezer drawers in Blomberg models are transparent to allow you to see the contents clearly, saving time and minimising energy loss.



Antibacterial door gaskets

For maximum hygiene, Blomberg fridge, freezer and fridge freezer door gaskets are coated with an antibacterial seal to eliminate bacteria.

Quality tested

We test 100% of our integrated cooling appliances before they leave our factory. For maximum durability, 2% of all machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg integrated cooling products are tested for life cycle durability on various functions.

BUILT-IN REFRIGERATION

KNM 1551 i



Combi Fridge Freezer

177 cm 280 lt / 9.8 cu ft total gross volume **Frost Free**

Fridge

- **=** 193 lt / 6.8 cu ft net volume
- Height adjustable safety glass shelves
- 1 chrome coated wine rack
- Chrome coated door rack accessory

Freezer ****

- **49** It / 1.7 cu ft net volume
- 2 transparent drawers + 1 flap transparent drawer
- Freezing capacity: 2,5 kg / 24 h
- Temperature rise time: 13 h

Build Details

- Reversible door
- smartFIX integrated hinges system

Product Dimensions

HxWxD: 1770x540x535 mm

KNM 1561 i



Combi Fridge Freezer

177 cm 230 lt / 8.1 cu ft total gross volume **Frost Free**

Fridge

- **=** 155 lt / 5.5 cu ft net volume
- Height adjustable safety glass shelves
- 1 chrome coated wine rack
- Chrome coated door rack accessory
- Chiller zone (Super fresh zone)

Freezer XXXX

- 62 lt / 2.2 cu ft net volume
- 3 transparent drawers + 1 flap
- Freezing capacity: 3.5 kg / 24 h
- **Temperature rise time: 13 h**

Build Details

- Reversible door
- smartFIX integrated hinges system

Product Dimensions

HxWxD: 1770x540x535 mm















TSM 1750 u FSE 1630 u





Built Under Larder Fridge

130 lt / 4.6 cu ft total gross volume

Fridge

- **128** It / 4.5 cu ft net volume
- 3 height adjustable glass shelves
- Chrome coated door rack accessory

Build Details

- Reversible door
- smartFIX, integrated hinge system

Product Dimensions

■ HxWxD: 813-863x595x545 mm

Built Under Freezer

96 It / 3.3 cu ft total gross volume **Electronic control**

Freezer ****

- 87 It net / 3.0 cu ft volume
- 5 separate compartments. 3 drawers, 1 handy rack and concealed basin
- Freezing capacity: 10 kg / 24 h
- Temperature rise time: 19 h

Build Details

- Reversible door
- smartFIX, integrated hinge system

Product Dimensions

HxWxD: 813-863x595x545 mm









FREE STANDING

COLLECTION 2012





FREESTANDING COOKERS

Today, kitchens serve as a place for cooking and dining as well as meeting family and friends. To make this environment as attractive as possible, Blomberg cookers have been specially developed to add a stylish touch to the smartest kitchen.

Designed with inspirational and interactive styles, they will help you to get the best results, so you can prepare delicious meals with joy and ease.



IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

The Blomberg electric models are 'AA' energy rated, using 20% less energy than standard 'A' rated models, offering the best performance with minimum energy consumption.



Manufacturer Model More efficient	Blomberg HKN 9310
B C D E F	A
Less efficient	
Energy consumption kWh Heating function: Conventional Forced air convection	0.88 0.79
(Based on standard load)	
Usable volume litres	65
Size Small	←
Noise (dB(A) re 1 pW)	-
Further information is contained in product brochures Norm EN 50304 Electric Ovens Energy Label Directive	

PRACTICAL

Elegant design

Blomberg cookers have been developed with a careful and detailed design to complement your other Blomberg appliances while giving a harmonious look in your kitchen.

With the large display digital timer, symbols and functions are easy to view and use while the oven door interior has a large viewing window for maximum visibility.

The handles are made of modern stainless steel (black models) or have a solid metal finish (white models) that will match the clean finish push-in pop-out knobs.





Large oven capacities

With 65 litres (electric model) and 63 litres (gas models) in capacity for the main oven, Blomberg offers one of the most spacious oven interior in its class. It will provide enough room to roast a large turkey or prepare a big feast for your family or friends. The full size tray will also gives you optimal cooking space while the deep tray is ideal for roasting and baking. The top oven is 35 litres and is an ideal compartment for traditional grilling or for use as an oven.

Interior light

The Blomberg ovens feature an interior light with cylindrical lamp placed either on the rear or the sides of the oven cavity. It will give you an easy cooking progress checking without opening the oven door.

The grey coloured cavity surface also help reducing reflection on the glass door.

Practical pan supports

The Blomberg gas cooker models features cast iron finish pan supports that have been designed to guarantee maximum stability and generous spacing between the burners. The continuous straight design allows you to slide pots and pans from one burner to another very easily.

EASY TO CLEAN



Removable full glass door

The Blomberg cookers feature a removable full glass door for the main oven. It will allow you to clean the door with a single wipe while the interior is easy to access to make cleaning simpler and quicker.

Catalytic panels

The catalytic panels mounted on each side of the main oven cavity absorbs cooking grease and reduces food odours, reducing the need of aggressive cleaning and harsh chemicals

Easy-to-remove side racks

The side racks fixed to the oven can be easily detached without any tool allowing a complete oven cleaning with minimal effort



SAFE

IN HARMONY WITH YOU

COOKING FUNCTIONS

Recessed grill

The top grill / heater in the Blomberg ovens as been recessed to avoid the risk of self injury while reaching the top shelf. In addition, it minimizes the temperature of the oven handle and knobs for a safe touch.





Conventional

The top and bottom heating elements are in operation. For even heating from the above and the below - ideal for stews, casseroles, pastries and meats.



Grill

The full grill is in operation. This function is ideal for grilling and browning larger quantities of food.



Fan Cooking

The circular heater and the fan motor operate together. The heat in the oven is distributed evenly in the centre. In this setting, you can cook 2 or 3 different foods that require the same or similar temperature settings.



For your total safety and peace of mind, Blomberg gas hob has a 'flame safety device' fitted as standard. The device senses when the gas has gone out and automatically cuts off the gas.



failure

Residual heat indicators

Residual heat indicators on the ceramic glass top will warn you if the cooking zone is not cool enough to touch safely.

Auto - shut off

The Blomberg gas cooker is equipped with a glass lid that will provide a safety automatic shut off. The supply of gas is cut off of the lid is accidentally closed with the burners still on.



COOKERS



HKN 9310 / HKN 9310 Z

60 cm electric cooker

Double oven

'AA' Energy rated - 20% more energy efficent than A class Ceramic hob

Main Oven

- "A" energy rated
- Large oven cavity 65 lt
- Fully programmable Digital timer
- 3 cooking functions: conventional, grill, fan cooking,
- Side panels with self clean Catalytic liners
- Interior light
- Removable full glass door
- 5 shelf positions

Top oven

- A energy rated
- Large oven capacity 35lt
- Integrated recessed grill
- Side panels with self clean Catalytic liners
- Interior light

Hob

- 4 ceramic rapidlite cooking zones
- Push in pop out knobs with instant ignition
- Residual heat indicators

Accessories and additional features

- Deep cooking tray main oven
- Standard cooking tray top oven
- 3 wire shelves with stoppers
- Adjustable feet

Product Dimensions

HxWxD: 90x60x60 cm

Colours

- White HKN9310
- Black HKN9310Z













GGN 9351 / GGN 9351 Z

60 cm gas cooker

Double oven Gas hob

Main Oven

- Large oven cavity 63 It
- Fully programmable Digital timer
- 2 cooking functions: conventional, grill
- Side panels with self clean Catalytic liners
- Interior light
- Removable full glass door
- 5 shelf positions

Top oven

- Large oven capacity 35lt
- Integrated recessed grill
- Side panels with self clean Catalytic liners
- Interior light

Hob

- 4 gas burners
- Flame Safety device on all burners
- Cast iron pan supports
- Auto shut off glass lid

Accessories and additional features

- Deep cooking tray main oven
- Standard cooking tray top oven
- 3 wire shelves with stoppers
- Adjustable feet

Product Dimensions

■ HxWxD: 90x60x60 cm

Colour

- White GGN9351
- Black GGN9351Z







FREESTANDING WASHING MACHINES

Combining great performance with an exquisite design, Blomberg washing machines bring a new dimension to laundry care. Designed to provide perfect wash results with the most efficient use of energy and water, Blomberg washing machines are stylish, high performing and easy to use.



IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY


Minimum energy consumption

All Blomberg washing machines have been designed to achieve outstanding fabric care and wash results using the lowest possible amount of detergent, water and electricity.

All Blomberg washing machines are at least "A+" energy rated, and achieve "A" as wash performance. The new Blomberg WNF 8447 A40 is "A+++" rated and actually consumes 40% less energy than "A" class standard models.

Automatic water adjustment system

For conservation of water resources, Blomberg washing machines are equipped with an automatic water adjustment system, which enables your machine to adjust its water intake based on the amount of the laundry.



PRACTICAL


Smart controls

Blomberg washing machines have ergonomically positioned control panels, fully electronic controls and intelligent programmes operated via a single dial, for simple programme selection.



Space saving solution

For households with limited space, Blomberg offers the slim line washing machines with 6 and 7 kg options. Despite their large capacity, these machines have less depth to occupy as little space as possible. By increasing the diameter of the drum, Blomberg designers and engineers managed to enlarge the capacity of the machine without compromising its design.



Brushless Motor technology

The Brushless Motor system is the key technology for the new 8kg Blomberg washing machine

WNF 8447 A40. It features a premium quality motor, which provides a dynamic response with no brushes to wear out and therefore reducing the noise level and minimising the maintenance of the machine. As a result, it will increase efficiency and reliability by consuming less

energy whist prolonging the life of the machine.

Extra large porthole

To make loading and unloading of large items easier, the Blomberg 8 kg WNF 8447 A40 washing machines has a 34 cm extra large door that opens to 165°.



PRACTICAL

Time saving programme and functions





Smart programmes

Blomberg washing machines offer a variety of wash programmes for different textile types. In addition to the common programmes for cottons, synthetics, and mixed fabrics, Blomberg offers special programmes that can be used for special needs.

Woollens



Mini 14'



Shirts



Hand wash



Dark wash



Sportswear



PRACTICAL

Durable heater

All Blomberg washing machines are equipped with a special nickel-coated heater. This heater is a hundred times more durable than regular heaters. Thus, it prolongs the life of your washing machine. The heater also eliminates the need for scaling due to hard water, and consequently saves energy and time while heating the water.





aguAvoid

aquAvoid is an anti-leak system designed to protect your home against flooding. All Blomberg washing machines are equipped with aquAvoid security system, which cuts off the water intake to the machine, should leakage occur from the internal hose.



Warning indicators

For maximum security, Blomberg washing machines have a child lock. Once the **child lock** is activated, any alteration to the selected settings is ignored, and therefor the programme won't be changed accidentally.

Quality tested

For long life expectancy, we test 100% of our washing machines before they leave our factory. For maximum durability, 2% of all machines undergo a thorough audit test. Every machine is tested for safety and functionality. Furthermore, Blomberg washing machines are tested continuously for life cycle durability on various programmes.

WASHING MACHINES

WNF 8447 A40



8kg Washing Machine

8 kg load capacity: 1400 rpm spin speed **Brushless Motor Technology** Variable spin speed and temperature control Mini LCD control with time remaining display

Programmes

• 16 programmes including: Mini 14', fast full load, bedding, handwash, woollens, shirts

Functions

Prewash / Quickwash / Rinseplus / Anti crease

Main Features

- A+++ (10% less energy consumption than "A+++" class)
- 24 h time delay and remaining time
- No spin, rinse hold selection
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety

- aguAvoid™
- Child lock with indicator light
- No water warning indicator light

Product Dimensions

HxWxD: 84x60x60 cm

Colour

White with silver fascia

WNF 7341 A



7 kg Washing Machine

7 kg load capacity: 1400 rpm spin speed Variable spin speed and temperature control Digital display with time remaining display

Programmes

11 programmes including: Mini 14', dark wash, hand wash, woollens, shirts, sportswear

Functions

Prewash / Quick wash / Rinse plus / Rinse hold

Main Features

- A+ energy efficiency
- Digital display showing time remaining
- 19 hr time delay
- Variable spin speed and temperature
- Automatic water adjustment system
- 34 cm XL porthole diameter
- Durable heater

Safety

- aquAvoid™
- Child lock
- No water warning indicator light

Product Dimensions

HxWxD: 84x60x54 cm

Colour

White with silver fascia

























WNF 6341 WNF 6221



6 kg Washing Machine

6 kg load capacity; 1400 rpm spin speed Variable spin speed and temperature control Digital display with time remaining display

Programmes

11 programmes including: Mini 14', dark wash, hand wash, woollens, shirts, sportswear

Functions

Prewash / Quick wash / Rinse plus / Rinse hold

Main Features

- A+ energy efficiency
- Digital display showing time remaining
- 19 hr time delay
- Variable spin speed and temperature
- Automatic water adjustment system
- **3**0 cm porthole diameter
- Durable heater

Safety

- aquAvoid™
- Child lock
- No water warning indicator light

Product Dimensions

HxWxD: 84x60x50 cm

Colour

White













6 kg Washing Machine

6 kg load capacity; 1200 rpm spin speed Variable spin speed and temperature control **LED** indicator lights

Programmes

11 programmes including: Mini 14', dark wash, hand wash, woollens, shirts, sportswear

Functions

Prewash / Quick wash / Rinse hold

Main Features

- A+ energy efficiency
- **3** / 6 / 9 hr time delay
- Variable spin speed and temperature
- Automatic water adjustment system
- **=** 30 cm porthole diameter
- Durable heater

Safety

- aguAvoid™
- Child lock

Product Dimensions

HxWxD: 84x60x50 cm

Colour















IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

The Blomberg TKF 8451 AG50 heat pump tumble dryer is proof of Blomberg's dedication to preservation of natural resources. With "A" energy rated, it consumes 50% less energy than standard "A" class models.



Energy	Blomberg
Manufacturer Model	TKF 8451 AG50
More efficient A B C C	A
Energy consumption kWh/program (On basis of the standard test results for DRY Cottons drying programme)	1.92
Actual consumption will depend on how the appliance	
Capacity (Cotton) kg	8.0
With air circulation With condenser	
Noise (dB(A) re 1 pW)	
Further information is contained in product brochures	

IN HARMONY WITH THE FUTURRE

ADVANCED TECHNOLOGY






Blomberg dryer range features an innovative dryer with heat pump technology. Heat pump systems have been widely used in air conditioning for many years. This technology transports energy from one environment to another, for more efficient heating.

A heat pump dryer is a combination of a condensing dryer and an air conditioner. The evaporator in the heat pump system does the work of the condenser, drying the saturated air. The condenser in the heat pump system is used to heat the air that dries the laundry. This closed loop system is a very energy-efficient way to dry laundry and condense the water from it. By means of this energy-efficient heat exchange system, the air temperature inside the drum is considerably lower compared to conventional dryers.

By means of this system heat pump dryers consume minimum amount of energy. Blomberg's heat pump model TKF8451 AG50 consumes **50% less energy** than "A" class.

Furthermore, by maintaining a relatively low temperature and with an advanced drum movement, Blomberg heat pump dryer allows you to dry more delicate items. Since the laundry's average temperature is kept around 55°C — almost half the temperature of the air used in conventional airvented and condenser dryers — heat pump dryers are safer and gentler to your laundry than standard dryers. Lower temperature means there's a much lower risk of hot air injury when you open the dryer during the cycle to put extra items in. The cabinet temperature is also much lower allowing better drying efficiency at lower temperatures in similar programme times.





IN HARMONY WITH NATURE



Complimentary look

Styled in the same harmonious look as the washing machines, the Blomberg tumble dryers have the similar LCD control panel with time remaining display and programme progress drying cycle.

Flexible placement

Blomberg dryers come in vented and condensation versions. The air-vented dryer works with an external vent that transfers the warm moist air out the machine. When an air vent is not practical or possible, Blomberg offers the condenser dryer. Condenser dryers take the hot moist air from the laundry, turning moisture back to water, which is either collected in a container or pumped away to a drain by means of mains drain option. Since they do not require an external vent, these dryers can be placed in the kitchen or in any ventilated room, giving you maximum flexibility.

Blomberg washers and dryers can be stacked on top of each other or installed side by side.



PRACTICAL

Smart programmes

The Blomberg tumble dryers offer a variety of drying programmes for different textile types. In addition to the common programmes for cottons, synthetics and mixed fabrics. Blomberg offers special programmes that can be used for special needs.

Wool refresh



Jeans



Mini 35'



Lingerie



Shirts



Refresh



Sportswear



Viscose





Time saving programmes

Having improved programme durations by 20%, the Blomberg tumble dryers have a 15-minute programme for shirts. Combined with our mini 14' washing programme, your shirts will be washed and dried in less than half an hour. Furthermore, the 'Mini 35' programme will allow you to dry 2kg wash loads.

Special drum paddles

With their unique forms, the special drum paddles ensure more homogenous drying and creasing. Moreover, they will prevent any tangling problems of big items, such as bed sheets.



IN HARMONY WITH NATURE

PRACTICAL

Large capacity and porthole

With 8kg capacity, the Blomberg condenser tumble dryers allow you to dry large loads in one cycle. To make loading even easier, they are designed with a 39.5 cm large door that opens to 150°.



Reverse action drum

To minimise creasing, the drum automatically reverses during the drying cycle.



Easy access fluff filter

The fluff filter collects the fluff that is produced when clothes are dried. It is located on the front of the machine allowing easy access. With its wide handle, it is easily removed and cleaned, and its large surface area improves the drying performance of your machine.



Anti-crease

The anti crease cycle separates and smooths your laundry after the drying cycle, by means of a gentle drum action; so it is wrinkle free and ready to wear.



SAFE

Auto cool-down

Cool air is blown at the end of the cycle, so the clothes are not too hot to handle when the machine is unloaded.

Sensor drying

The Blomberg tumble dryer range features a combination of moisture and temperature sensors, which automatically determine when the clothes are dry, preventing damage from over-drying. The sensors allow you to reach the right level of dryness for different types of fabrics.

Easy-to-reach water tank

With its side opening door cover, the Blomberg condenser tumble dryers provide an easy access to the water tank for increased ergonomics and ease of use.



Interior drum light

The Blomberg tumble dryer range is equipped with interior light; so even the smallest items of laundry will not be left inside.

Child lock

Once activated, the child lock option will eliminate any accidental pressing of buttons that might change the pre-set programme.

Warning indicators

The Blomberg tumble dryers have a series of warning indicator lights that will remind you when the filter needs to be cleaned, the water tank to be emptied and when to clean the condenser. The end of cycle buzzer will inform you when the drying programme ends, while you will also have the option to stop it by pressing the buzzer button.

Quality tested

For long life expectancy, we test 100% of our tumble dryers before they leave our factory. For maximum durability, 2% of all the machines undergo a thorough audit test. Every machine is tested for safety and functionality.

Furthermore, Blomberg tumble dryers are tested for temperature and energy consumption performance up to 200 cycle programmes on a monthly basis.



TUMBLE DRYERS



TKF 8451 AG50

Heat Pump Dryer

8 kg load capacity Mini LCD control display A Rated - 50% less energy consumption than "A" class

Programmes

16 programmes including:
 Refresh, shirts, jeans, bedding, shirts 30'

Main Features

- Stainless steel drum
- Automatic sensor drying
- 1-24 hr time delay and remaining time
- Large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Anti-creasing cycle option
- Mains drain option
- 3-level drying

Safety

- Child lock
- End of cycle buzzer
- Warning indicators: Child lock, clean filter, water-tank full

Product Dimensions

HxWxD: 85x60x59 cm

Colour

White with Silver Fascia







TUMBLE DRYERS





TKF 8439 A

Condenser Dryer

8 kg load capacity Mini LCD control display

Programmes

16 programmes including:
 Wool refresh, sportswear, lingerie, shirts 15', jeans, mini 35'

Main Features

- Stainless steel drum
- Automatic sensor drying
- 1-24 hr time delay and remaining time
- Large door for easy loading/unloading
- Interior drum light
- Bi-directional drum action
- Auto cool-down
- Anti-creasing cycle option
- Mains drain option
- 3-level drying
- Water tank at the top

Safety

- Child lock
- End of cycle buzzer
- Warning indicators: Child lock, clean filter, water-tank full

Product Dimensions

HxWxD: 85x60x60 cm

Colour

White with Silver Fascia











IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Great performance - AAA

The Blomberg dishwasher range has "A" ratings for energy consumption, washing performance and drying effectiveness. The new Blomberg GSN 9476 A is "A+" energy rated consuming up to 10% less energy than "A" class model.

Low noise level

The new Blomberg GSN 9476 A is one of the quietest dishwasher on the market offering a low noise level at 43 dBA.





Energy Manufacturer Model	Blomberg GSN 9120
More efficient A B C C E F C Less efficient	A
Energy consumption kWh/cycle (Based on test results for manufacturer's standart cycle using cold fill) Actual consumption will depend on how the appliance is used	1.05
Cleaning performance A: higher G: lower	ABCDEFG
Drying performance A: higher G: lower	ABCDEFG
Standard Place Settings Water consumption I / cycle	12 15
Noise (dB(A) re 1 pW)	48
Further information is contained in product brochures Norm EN 50242 Dishwasher label Directive 97/17/CE	

PRACTICAL


Smart controls

The Blomberg dishwashers are equipped with easy-to-use fully electronic controls. The GSN 9476 A features an interactive LCD display that allows you to monitor the progress of your wash programme. As well as displaying the time remaining of the chosen programme, it allows you to select and change the temperature for each programme and set time delay fucntion up to 24 hours.

Multi level wash

The Blomberg dishwashers use a multi level wash system to provide immaculately clean dishes. In this system, three spray arms, placed in the bottom, the middle and at the top of the dishwasher, work in coordination spraying water from every direction to reach even the most remote parts of your dishes.





Multi detergent compatible

The Blomberg dishwashers are compatible with all kinds of liquid, powder and tablet detergents. Regardless of your choice of detergent, your dishwasher will give the same outstanding performance. Furthermore, the detergent container is user friendly and has cross opening lids for an easy refill.

Time saving

We continually try to minimise the duration of wash cycles to maximise your free time. Therefore, Blomberg offers some of the shortest programmes in the market. **Mini 30'** cleans lightly soiled 12 place settings in 30 minutes. **A express 58'** programme delivers "A" washing performance in 58 minutes.



PRACTICAL

IN HARMONY WITH YOU

EASY TO UNLOAD

Half load

There's no need to wait for both baskets to be fully loaded to start your dishwasher. The half-load option offers complete load flexibility. No matter where you place your dishes, the half load function will wash them thoroughly optimising water consumption according to the dish load.



Salt and rinse aid indicators

In dishwashers, salt is used to adjust the water hardness level in order to avoid etching marks on delicate glassware. And, for sparkling dishes and glasses, rinse aid adds the finishing touch. The Blomberg dishwashers have salt and rinse aid indicators that will let you know when it is time for a refill.

Flexible upper basket

The Blomberg dishwashers are equipped with smartRACK,a height-adjustable upper basket, which can be raised to make room for pans, large plates and baking trays in the bottom basket or lowered to hold tall glasses. This system allows you to adjust the basket height in one simple action, even when the basket is fully loaded.

The upper basket also features **height adjustable shelves for mugs** that can be positioned at two separate levels depending on your needs.

Practical lower basket

To maximise space in the lower basket the Blomberg dishwashers feature **folding tines** that are easily folded down for easy placement of large pots and pans.



Sliding cutlery basket

The Blomberg dishwasher's cutlery basket slides easily along the tilting tines in the lower basket for flexible placement.

SAFE

Stainless steel interior

The Blomberg dishwashers have stainless steel high quality interiors that not only protect the machine from heat and corrosion, but also sanitise your dishes with the highest wash temperatures available.



Flow through heater

The heater on the Blomberg dishwashers are concealed to provide a safer and more convenient alternative to an exposed heater. This allows plastic dishware to be placed on the top or bottom baskets without the risk of damage.



Antibacterial seal

Food and dirt particles collected on the bottom of the dishwasher tank lead to bacteria formation.

To maximise hygiene conditions, the dishwasher door is coated with an antibacterial seal that helps reduce bacteria for maximum hygiene.



SAFE

aquaVoid™

In case the float system detects water leakage, safety switch activates the drain pump and deactivates the water inlet valve. The water inside the dishwasher is then discharged.



DMFS

DMFS (double motion float system) is an enhanced anti-leak system designed to provide maximum security against water damage with minimum service cost. It is an intelligent mechanism, available with the Blomberg dishwashers, that detect the source of excess water collection. In this system, there are two float agents. In minor amounts of water collection, the first agent activates the drain pump, and the machine continues to run until the cycle is complete eliminating an unnecessary visit by a service engineer. If there is an operational problem, the second float agent is involved, which alerts the aquAvoid™ plus system to turn off the water supply, and shuts off the machine.

Quality tested

We test 100% of Blomberg dishwashers before they leave our factory. For maximum durability, 2% of all machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg dishwashers are tested for life cycle durability on various programmes.

Brushless DC™ Motor (BLDC Motor)

The GSN 9476 A introduces the BLDC Motor.
It is an electronic controlled innovative pump technology., offering you energy and water consumption efficiency while performing quietly in the background.





GSN 9476 A

60 cm Full Size Dishwasher With LCD control display

A+AA

13 place settings Brushless DC Motor - efficient and quiet performance Low water consumption - 10 litres

Programmes

- 7 wash programmes:
 Prewash, Rapid, Economy, Xpress58, Intensive, Delicate 40,
 Hygiene+, Auto 40-65°C
- 6 wash temperatures

Main Features

- Whisper Quiet at 43 dB
- 24 h time delay
- Half load
- Turbo fan drying
- Salt and rinse aid indicator

Interior Design

- smartRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket

Safety

- aquAvoid[™] plus
- DMFS double motion float system
- Antibacterial seall

Product Dimensions

HxWxD: 83x59,8x57cm

Colour













DISHWASHER



GSN 9120

60 cm Full Size Dishwasher

12 place settings LED indicator lights

Programmes

5 wash programmes:
 Prewash, mini 30', eco 50°, A express 58', intensive 70°

Special Functions

- Half load
- Time delay

Main Features

- 48 dBA noise level
- **3** / 6 / 9 hr time delay
- LED progress indicator lights
- Salt and rinse aid indicators

Interior Design

- FlexiRACK, loaded adjustable upper basket
- Height adjustable shelves for mugs
- Foldable plate supports in the lower basket

Safety

- aquAvoid[™]
- DMFS double motion float system
- Antibacterial seal

Product Dimensions

HxWxD: 85x60x59,8 cm

Colour













GSS 9260

45 cm Slimline Dishwasher

10 place settings LED programme indicator lights

Programmes

5 wash programmes:
 Prewash, Eco °C, Rapid, Xpress58, Intensive 70°C, Auto 45-65°C

Special Functions

- Half load
- Time delay

Main Features

- **3** / 6 / 9 hr time delay
- LED progress indicactor lights
- Salt and rinse aid indicator

Interior Design

- Adjustable upper basket
- 4 shelves
- Foldable plate supports in the lower basket

Safety

- aquAvoid[™] plus
- DMFS double motion float system
- Antibacterial seal

Product Dimensions

HxWxD: 84x45x57cm

Colour













FRENCH DOORS FRIDGE & FREEZER DRAWERS COMBI

FRIDGE FEATURES

Energy Efficient

With an 'A+' energy rating, the New Blomberg KFD 9952 PXD consumes up to 24% less energy than an 'A' class model.

Full Frost free operation

Intended to eliminate the formation of ice on food and within the fridge and freezer interior, the air flow from the fan circulation makes the compartment easy to use and provides the right temperature for better food preservation.

0-3.C Super Fresh Zone

It maintains the temperature of the zone just above freezing point and keeps humidity at an optimum level. It should ensure that ready cooked and chilled food as well as fresh fish and meat are stored in ideal conditions to retain their nutritional values and elements.



White LED illumination light

The fridge compartment features white LED inner illumination for a more aesthetic look and less energy consumption.

Chilled water dispenser

The integrated dispenser gives an instant access to chilled water without having to open the fridge door. water dispenser





FRENCH DOORS FRIDGE & FREEZER DRAWERS COMBI

FRIDGE FEATURES

Glass shelves

The shelves are made of safety glass, and are highly impact resistant. They help to prevent food and beverages spilling onto the lower shelves, making cleaning easier. They can be placed on different levels to allow for maximum flexibility.



Blue Zone Technology

The blue zone technology helps prolonging the storage life of fresh fruits and vegetables whilst maintaining their natural flavour and nutritional elements.





FRENCH DOORS FRIDGE & FREEZER DRAWERS COMBI

FREEZER FEATURES



Electronic display with touch control

The electronic control display allows accurate temperature settings with the use of touch control buttons. The **quick cool** and **fast freeze** functions enable you to boost the temperature level of the fridge or the freezer drawers quickly after placing large amounts of food inside.

The Eco functions are designed to minimize energy consumption. When the fridge doors remain closed for 6 consecutive hours, and the electronic settings are left unaltered, the fridge compartment automatically goes to 'Energy saving' mode. In this mode the temperature in the freezer drawers is preserved at -18°C. If you go on holiday, the 'holiday' mode will save you energy by reducing fridge operation as no fresh food would be left in the compartment.

Frost Free

Frost Free creates an ideal and permanently cold environment to store fresh and frozen food while eliminating build-up of ice and bacteria in the freezer. You will find that food packs do not stick together and best of all, you won't need to defrost your freezer any more.



Freezer drawers

Carefully designed to ensure that the look of your fridge freezer is different and stylish, the KFD 9952 PXD features 2 freezer drawers for flexible storage solutions. Offering a large volume compartment, they can store bulky and tall items without compromising with space. In addition, they ensure best of use by giving a quick and easy access to all food items.

Automatic ice maker

The Blomberg KFD 9952 PXD is plumbed in with a tap connection and therefore water is automatically filled in the upper freezer reservoir. It produces ice cubes and stops automatically when the ice bank is full.



FREESTANDING REFRIGERATION

FRENCH DOORS FRIDGE FREEZER





NEW

KFD 9952 PXD

84 cm French doors fridge & Freezer drawers Combi

600 lt / 21.2 cu.ft total gross volume Fully Frost free Electronic display with touch buttons

Fridge

- **395** It / 14.0 cu.ft net volume
- Blue zone technology
- 0-3°C Super Fresh zone
- Chilled water dispenser (water filter supplied)
- Height adjustable glass shelves
- Chrome door rack
- 2 transparent crisper drawers

Freezer XXXX

- **154** It / 5.4 cu.ft net volume
- Automatic ice maker in upper drawer (water filter supplied)

Hygiene

Antibacterial door seal

Technical Information

■ Dimensions (HxWxD): 182x84x79.5cm (incl. handle protrusion)

Colour

 Fingerprint free stainless steel doors and silver painted cabinet - KFD 9952 PXD













IN HARMONY WITH NATURE

ENVIRONMENTALLY FRIENDLY

Minimum energy consumption

Preservation of natural resources is a priority for Blomberg, where not only production facilities are environment conscious, but also all products. Naturally, all Blomberg cooling models are "A+" rated using up to 24% less energy and helping you save money and energy bills.

'Food Protector' technology

Blomberg's innovative 'Food Protector' technology uses an electronic temperature control system ensuring the freezer compartment carries on working even when ambient temperatures




protector

plummet. The system will keep the freezer working in ambient temperatures as low as -15.C and therefore ensures that frozen food is protected.

As well as giving piece of mind, you will have the opportunity to locate your Blomberg Frost Free fridge-freezer or freezer in the kitchen, or anywhere else in the home (such as the garage).





FUNCTIONAL



Frost Free

Frost free technology is an advanced cooling system featured in selected Blomberg fridge freezers. The system provides stable and even temperature distribution to keep fruit and vegetables fresher for longer. Frost free cooling creates a permanently cold environment, eliminating build-up of ice and bacteria in the freezer. You will find food packs do not stick together. Best of all, you won't need to defrost your freezer any more.



4-star freezing

All Blomberg freezers have 4-star rating for an efficient freezing performance. They can freeze and store food at a minimum temperature of -18°C, and for up to 12 months.



Electronic controls

The electronic controls featured in the FNT9671 P allow accurate temperature settings. The **quick cool** and **fast freeze** functions enable you to boost and restore the temperature level of the fridge or the freezer quickly after placing large amounts of fresh food inside. Furthermore, the refrigerators have an integrated alarm system that will warn you if the door is accidentally left ajar.



0-3°C super fresh zone

The super fresh zone that is featured in model SOM 9651 maintains the temperature of the compartment just above freezing point and keeps humidity at an optimum level. It should ensure that fruit, vegetables, fish and meat retain their vitamin and nutritional values, subtle flavours and a fresh, attractive appearance for twice as long compared to a regular fridge.

IN HARMONY WITH NATURE

PRACTICAL

Glass shelves

The shelves are made of safety glass, and are highly impact resistant. They help to prevent food and beverages spilling onto the lower shelves, making cleaning easier. They can be placed on different levels to allow for maximum flexibility.



Transparent and telescopic drawers

The front of the crisper and freezer drawers are transparent to allow you to see the contents clearly, saving time and minimising energy loss. Telescopic drawers featured in certain models provide easier access to the refrigerator contents.



Twist and serve ice cube tray

With Blomberg's twist and serve ice cube tray, your ice will be ready in three simple steps: Fill with water, leave to freeze, then simply twist. The ice cubes will be collected in the tray underneath.







Maximum space

Blomberg tall freezer FNT 9671 offers a variety of storage solutions. You can have easy access to small items in your freezer by means of the practical "in door' compartments. The model features a large capacity freezer compartment – ideal for the storage of large items. A thin tray is also located inside the drawer for freezing soft fruits such as berries. And if you still need space, the middle shelf between the two top drawers is removable to allow you to store even larger items.





IN HARMONY WITH NATURE

SAFE

Antibacterial door gaskets

For maximum hygiene, Blomberg fridge, freezer and freezer door gaskets are coated with an antibacterial seal that eliminates bacteria.



Quality tested

We test 100% of our refrigerators before they leave our factory. For maximum durability, 2% of all our machines undergo a thorough test. Every machine is tested for safety and functionality. Furthermore, Blomberg refrigerators are tested for life cycle durability on various functions.



FRIDGE FREEZERS









NEW*

KGM 9690 P / KGM 9690 PX

70cm combi Fridge Freezer

402 It / 14.2 cu.ft total gross volume Frost Free Electronic control (without display)

Fridge

- **230** lt / 8.2 cu.ft net volume
- 2 transparent salad crispers
- Glass shelves
- Transparent door racks
- Chrome coated bottle retainer
- Chrome coated wine rack
- Soft opening storage box under door rack

Freezer ****

- **118** It / 6.0 cu.ft net volume
- Frost Free
- Freezer works in ambient temperatures down to -15°C
- Twist & serve ice cube tray
- 3 full width transparent drawers, one is half depth
- 1 top drawer with twist and serve trays

Hygiene

Antibacterial door seal and handles

Technical Information

- Reversible doors
- Dimensions (HxWxD): 191x70x60 cm

Colour

- White KGM 9690 P
- Stainless steel doors and silver painted cabinet KGM 9690 PX

^{*} Available from July 2012







FRIDGE FREEZERS



KGM 9680 P / KGM 9680 PX

60 cm Combi Fridge Freezer

315 lt / 11.1 cu.ft total gross volume Frost free

Electronic control

Fridge

- **175** lt / 6.2 cu.ft net volume
- 1 transparent salad crisper
- Glass shelves
- Transparent door racks
- Chrome coated bottle retainer
- Chrome coated wine rack
- Interior light

Freezer XXXX

- 94 lt / 3.3 cu.ft net volume
- Frost free
- Freezer works in ambient temperatures down to -15°C
- Slimline storage tray
- Twist & serve ice cube tray
- 3 full depth transparent drawers, one is half width
- 1 half depth plastic transparent drawer

Hygiene

Antibacterial door seal and handles

Technical Information

- Reversible doors
- Dimensions (HxWxD): 190.5x59.5x60 cm

Colour

- White KGM 9680 P
- Stainless steel doors and silver painted cabinet KGM 9680 PX









FRIDGE FREEZERS





KGM 9550 P / KGM 9550 PX

55 cm Combi Fridge Freezer

300 lt / 10.5 cu.ft total gross volume Frost free Electronic control

Fridge

- **157** It / 5.5 cu.ft net volume
- 1 transparent salad crisper
- Glass shelves
- Transparent door racks
- Chrome coated wine rack
- Interior light

Freezer XXXX

- 87 lt / 3.1 cu.ft net volume
- Frost free
- Freezer works in ambient temperatures down to -15°C
- Ice bank tray
- Top compartment with drop-down flap
- 2 full depth plastic transparent drawers
- 1 half depth plastic transparent drawer

Hygiene

Antibacterial door seal and handles

Technical Information

- Reversible doors
- Dimensions (HxWxD): 182x54.5x60 cm

Colour

- White KGM 9550 P
- Stainless steel doors and silver painted cabinet KGM 9550 PX









TALL LARDER FRIDGE





SOM 9651 P

60 cm Tall Larder Fridge

370 lt / 13.1 cu.ft total gross volume
Air circulation fan to improve cooling performance

Fridge

- **335** It / 11.8 cu.ft net volume
- Auto defrost function
- Telescopic 0-3°C super fresh zone
- 1 transparent salad crisper
- Glass shelves
- Transparent door racks
- Chrome coated wine rack
- Interior light

Hygiene

Antibacterial door seal and handle

Technical Information

- Reversible door
- Dimensions (HxWxD): 171x60.5x60 cm

Colour

White

Matching Freezer

■ FNT 9671 P



TALL FREEZER





FNT 9671 P

60 cm Tall Freezer

265 lt / 9.4 cu.ft total gross volume

Frost free

Electronic control with touch control operation display New cooling system which improves performance and usable volume (over 17 It gained in the net volume)

Freezer ****

- **227** It / 8.0 cu.ft net volume
- Frost free
- Fast freeze function
- Twist & serve ice cube tray
- 4 full depth plastic transparent drawers including big drawer compartment
- 1 half depth plastic transparent drawer
- 2 transparent flaps
- 2 door pockets storage
- Works in ambient temperatures down to -15°C

Hygiene

Antibacterial door seal and handles

Technical Information

- Reversible door
- Dimensions (HxWxD): 171x60.5x60 cm

Colour

White

Matching Freezer

■ SOM 9651 P









UNDERCOUNTER FRIDGES

TSM 1551 P



Undercounter Larder Fridge

135 lt / 4.8 cu.ft total gross volume

Fridge

- **130** It / 4.6 cu.ft net volume
- Transparent crisper
- Glass shelves
- Chrome coated bottle retainer

Hygiene

Antibacterial seal

Technical Information

- Reversible door
- Handle supplied with appliance, to be fitted separately
- Dimensions (HxWxD): 85x54.5x60 cm

Colour

White

Matching Freezer

• FTM 1531 P and FNE 1531 P

TSM 1541 P



Undercounter Fridge with 4-Star Freezer

120 lt / 4.2 cu.ft total gross volume

Fridge

- 101 lt / 3.5 cu.ft net volume
- Transparent crisper
- Glass shelves
- Chrome coated bottle retainer

Freezer ****

- **1**3 lt / 0.5 cu.ft net volume
- 1 ice cube tray

Hygiene

Antibacterial seal

Technical Information

- Reversible door
- Handle supplied with appliance, to be fitted separately
- Dimensions (HxWxD): 85x54.5x60 cm

Colour

White









UNDERCOUNTER FREEZERS



FNE 1531 P



FTM 1531 P



Undercounter Freezer

90 lt / 3.2 cu.ft total gross volume **Frost Free**

Freezer XXXX

- **To a square of the square of**
- Fast freeze function
- Indicator lights
- Ice bank tray
- 2 full depth transparent drawers
- 1 half depth plastic transparent drawer
- Works in ambient temperatures down to -15°C

Hvaiene

Antibacterial seal

Technical Information

- Reversible door
- Handle supplied with appliance, to be fitted separately
- Dimensions (HxWxD): 85x54.5x60 cm

Colour

White

Matching Larder

■ TSM 1551 P

Undercounter Freezer

102 lt / 3.6 cu.ft total gross volume

Freezer XXXX

- 85 lt / 3.0 cu.ft net volume
- Fast freeze function
- Indicator lights
- Ice bank tray
- 2 full depth transparent drawers
- 1 half depth plastic transparent drawer
- Works in ambient temperatures down to -15°C

Hvaiene

Antibacterial seal

Technical Information

- Reversible door
- Handle supplied with appliance, to be fitted separately
- Dimensions (HxWxD): 85x54.5x60 cm

Colour

White

Matching Larder

■ TSM 1551 P

















TECHNICAL DETAILS

BUILT-IN 114-118 FREESTANDING 119-126

BUILT-IN OVENS

MODEL CODE	BDO 9564 X	BEO 9414 X	BEO 9790 X	BEO 9576 X
Type Control Type	Electronic Multifucntion	Fan Oven	Electronic Pyrolytic Multifunction	Electronic Multifunction
Electronic touch control	-	-	•	-
Programmable animated display	•	-	•	•
Programmable digital display Mechanical programmable timer		<u> </u>	-	
Rotary control	•	•	-	•
Push-pop-out knobs Electronic temperature control, 5°C sensitive	•	•	-	<u> </u>
COOKING FUNCTIONS	- i			
Number of cooking functions	12	4	14	12
SURF surround flow cooking Pyro	-	-	-	<u> </u>
co-pyro	-	-	•	-
Sottom heater	•	-	•	•
op heater Conventional	<u>.</u>	-	· ·	
Conventional+fan	•	-	•	•
an cooking	•	•	•	-
BD .ow grill	•	-	•	•
ow grill+fan	-	-	-	-
Grill	•	•	•	•
Grill+fan Slow cooking	•	<u> </u>	•	•
Narm keeping	•	-	•	•
Defrost	•	•	•	•
Booster Pizza	•	-	•	•
Grill+turnspit	-	-	-	-
Grill+fan+turnspit	-	-	-	-
.amp Eco fan cooking	-	-	-	
Gas cooking	-	-	-	-
Gas grill Additional cooking options	-		-	
Booster, fast to-the-degree heating	•		•	•
Door closed grilling	•	•	•	•
WAIN OVEN	A -20%	A -20%	A -20%	A -20%
Energy efficiency class Cavity volume, It	65	A -20%	65	A -20%
Smooth surface	•	•	•	-
Stainless steel Pyro Clean™ enamel	•	•	-	•
asy Clean™ grey enamel	•	•	-	-
Catalytic back wall	•	•	-	•
Catalytic side wall Removable side racks	•	-	-	-
Grill	Foldable for easy clean	-	-	Foldable for easy clear
TOP OVEN			, , , , , , , , , , , , , , , , , , , ,	
Energy efficiency class Cavity volume, It	A 35	-		
Grill Type	recessed grill integrated in the oven	-	-	-
Fully Variable Grill	•	-	-	-
Grill Power (kW) nterior light	2.2	-	-	<u> </u>
Orop down door	•	-	-	-
asy Clean™ grey enamel	•	-	-	-
Smooth surface LIGHTING		-	-	-
nterior light	•	•	•	•
ight type Number of lights	Square halogen 2	Cylindrical incandescent 1	Square halogen 2	Cylindrical incandesce
Oven light with door opening	•	•	•	•
OVEN DOOR				
Cool door with quadruple glass Full width glass inner door	•	<u>-</u>	•	•
Removable door	•	•	•	•
riple glazed door	-	-	-	-
Orop down door SAFETY	•	•	•	•
Pyro lock	-	-	•	-
Sey lock	•	•	•	•
ACCESSORIES Cooking tray	•	•	•	•
Pizza Pan	-	-	•	-
Baking tray	•	-	•	•
Vire shelf evel of telescopic rack	-	<u> </u>	3	<u> </u>
PERFORMANCE				
otal power, kW	5.5	2.3	3,1	3,1
nergy consumption: Conventional, kWh	0.88	-	0,88	0,88
an cooking, kWh	0.00	0.79	0,79	0,93
ECHNICAL INFORMATION		40	40	40
Joise level, dBA Supply voltage, V/Hz	220-240 / 50	46 220-240 / 50	46 220-240 / 50	46 220-240 / 50
Imperage, A	25	13	14	14
CE / VDE approved	•	•	•	•
DIMENSIONS*	950x660x660	655x660x660	655x660x660	655x660x660
ACKED DIMENSIONS (HXWYYII) mm		595x594x547	595x594x547	595x594x547
Jnpacked dimensions (HxWxD), mm	890x594x567			
Packed dimensions (HxWxD), mm Inpacked dimensions (HxWxD), mm Inpacked weight Kg	56.8	33.2	45.7	36.6
Jnpacked dimensions (HxWxD), mm				

^{*} Dimensions exclude any protruding features such as handles, knobs and bowed doors.

BUILT-IN ELECTRIC HOBS

MODEL CODE	MIN 54302 X	MKN 54322A X	
Туре	Induction	Vitroceramic	
Width. cm	60	60	
CONTROL TYPE	-		
Touch sensitive front control	•	•	
Side mounted controls	-	-	
Separate touchpads	•	•	
Digital display	•	•	
Timer	•	•	
Oven control	-	-	
ZONES			
Type of zones	Induction	Vitroceramic	
Cooking levels per zone	9	9	
Numbers of zones	4	3	
Front left, mm - W	Ø 180 - 1800 (max), 2500 (boost)	Ø 210 / 120 - 220 / 1750 V	
Rear left, mm - W	Ø 180 - 1800 (max), 2500 (boost)	Ø 140 - 1200	
Front right, mm - W	Ø 145 - 1400 (max), 1800 (boost)	Ø160 - 1500 W	
Rear right, mm - W	Ø 210 - 2200 (max), 3200 (boost)	Ø140 / 250 - 2000 / 1000 \	
Center, mm - W	-	-	
Middle left, mm - W	-	-	
Middle right, mm - W	-	-	
FEATURES			
Intelligent pan size recognition	•	-	
Precise heat adjustment	•	<u> </u>	
On / off indicator	•	<u> </u>	
Booster, fast to-the-degree heating	•		
Heat-up and simmering	•	<u> </u>	
SAFETY			
Child lock	•	•	
Anti-over flow	•	•	
Automatic stop system	•	<u> </u>	
Individual residual heat indicators	•		
TECHNICAL INFORMATION	7000	2000	
Total power, W	7200	6900	
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	
Amperage, A	32	32	
CE / VDE approved DIMENSIONS	•	•	
	FF.:F00::F10	FFF00F10	
Product dimensions (HxWxD), mm	55x580x510	55x580x510	
Niche dimensions (WxD), mm	560x490	560x490	
Packed dimensions (HxWxD), mm	170x680x650	145x655x555	
Unpacked weight Kg	13.4	11 12	
Packed weight Kg	14.4	IZ.	
COLOUR OPTIONS			

BUILT-IN GAS HOBS

MODEL CODE	GEN 53415 E
Туре	Gas
Width, cm	60
CONTROL TYPE	
Front mounted controls set into hard glass base	-
Front mounted controls	-
Front controls	•
Side controls	-
BURNERS	
Number and type of burners	3 gas + 1 wok
Front left, W	3.3 (triple ring wok)
Rear left, W	1.7
Front right, W	1
Rear right, W	1.7
Center, W	-
Front center, W	-
Rear center, W	-
FEATURES	
Burner caps	Cast iron
Pan supports	Cast iron
Electronic ignition integrated into the knobs	
SAFETY	
Flame failure gas cut-out device	•
Individual residual heat indicators for the vitroceramic zones	-
TECHNICAL INFORMATION	
Gas power, W	8600
Electric power, W	-
Supply voltage, V/Hz	220-230 / 50
Amperage, A	-
CE / EN30 approved	•
DIMENSIONS	
Product dimensions (HxWxD), mm	98x580x510
Niche dimensions (WxD), mm	560x490
Packed dimensions (HxWxD), mm	190x670x580
Unpacked weight Kg	10.23
Packed weight Kg	11.95
COLOUR OPTIONS	

BUILT-IN WASHING MACHINE

MODEL CODE	WMI 7462 W20
Туре	Fully electronic integrated Washir machine
MAIN FEATURES	- Indonino
Load capacity, kg	7
Drum volume, It	55
Control type	Knob & digital display
Temperature options, °C (not available on all programmes)	90, 60, 40, 30, no heat
Maximum spin speed, rpm	1600
Spin speed options	Variable: 600, 800, 1200, 1400, 16
No spin	•
Time delay	up to 24hr
Remaining time	•
Automatic water adjustment system	•
Durable heater	•
Drum material	Stainless steel
Porthole diameter, cm	30
Door opening angle	135
Door hinge	Left hand side
Cold fill	•
PROGRAMMES	
Number of programmes	16
Hand wash	•
Dark wash	•
Woollens	•
Sportswear	
Shirts	
Mini 14'	•
Cottons 20	•
Rinse	•
Spin + Pump	•
Synthetics	•
Cottons eco	•
Cottons	•
Intensive	•
Hygiene	•
Fast Full load	
Machine care	•
	-
Lingerie	
Refresh	
FUNCTIONS	
Prewash	•
Quick wash	•
Rinse plus	•
Rinse hold	•
SAFETY	-
aquAvoid	•
Child lock	•
Door lock	•
Child lock indicator light	-
No water warning indicator light	-
PERFORMANCE	
Energy efficiency class	A++
Washing performance	A
Spin drying performance	A
Energy consumption (Cotton 60°), kWh	0.85
Water consumption (Cotton 60°), It	41
Annual energy consumption, (200 cycles) kWh/Year	194
Annual water consumption, (200 cycles) kWh/Year	9020
Standard cycle duration (Cotton 60°), min	160
TECHNICAL INFORMATION	
Supply voltage, V/Hz	230 / 50
Total power, W	2200
Amperage, A	10
Water supply connection 3/4"	•
Water pressure range, N/cm2	1 -100
Water connection	Cold
	150
Cable length, cm	
Maximum possible height from floor to water connection, cm	75
CE / VDE approval	•
DIMENSIONS*	
Product dimensions (HxWxD), mm	820x600x540
Packed dimensions (HvWvD) mm	880x650x600
Packed dimensions (HxWxD), mm	
Unpacked weight, kg	73
	73
Unpacked weight, kg	

 $^{^{\}star}$ Dimensions exclude any protruding features such as handles, knobs and bowed doors.

BUILT-IN DISHWASHER

MODEL CODE	GVN 9483 E
Туре	60cm full size integrated electronic
MAIN FEATURES	dishwasher
Place settings	13
Control type	LCD display
Time delay	0-9.30hr
Programme follower	•
Drying system	Active ventilation
Salt and rinse aid indicators	•
Cold fill	•
PROGRAMMES	
Number of programmes	8
Prewash	•
Mini 30' 35°	•
Eco 50°	•
A express 58'	•
Intensive 70° Delicates 40°	•
Hygiene 70°	•
Auto 40° - 65°	•
SPECIAL FUNCTIONS	
Half load	•
Time delay	•
INTERIOR DESIGN	
smartRACK, loaded adjustable upper basket	•
Height adjustable shelves for mugs	•
Foldable plate supports in the lower basket	•
Cutlery basket	Sideways sliding
Metal filter	•
SAFETY	
aquAvoid™	•
DMFS double motion float system	•
Antibacterial seal	•
PERFORMANCE Engrav officiones elec	Δ
Energy efficiency class Cleaning performance	A++ A
Drying performance	A
Water consumption, It	10
Energy consumption, kWh	0.92
Annual energy consumption, (220 cycles) kWh/year	261
Annual water consumption, (220 cycles) kWh/year	2800
Noise level, dBA	44
TECHNICAL INFORMATION	
Supply voltage, V/Hz	220-240 / 50
Total power, W	2200
Amperage, A	10
Water supply connection 3/4"	•
Water pressure range, N/cm2	3 to 100
Warm water connection, °C	25
Cable length, cm	180
Maximumum possible height from floor to water connection, cm Maximum possible hose length, cm	110 180
Maximum accepted water hardness	60
Maximum temperature for water intake, °C	25
CE / VDE approval	•
DIMENSIONS*	
Product dimensions (HxWxD), mm	820x598x550
Packed dimensions (HxWxD), mm	859x644x661
Height without worktop, cm	82
	1.5
Feet adjustable by, cm	
Feet adjustable by, cm Unpacked weight, kg	41
	41 48

 $[\]ensuremath{^{\star}}$ Dimensions exclude any protruding features such as handles, knobs and bowed doors.

BUILT-IN REFRIGERATION

MODEL CODE	KNM 1551 i	KNM 1561 i
Туре	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	177	177
Control system	Electronic	Electronic
Cooling system	Frost free	Frost free
CAPACITIES		
Total gross volume, It	280	230
Total net volume, It	242	217
Fridge net volume, It	193	155
Freezer net volume, It	49	62
FRIDGE FEATURES		
Fast cool function	-	-
0-3°C super fresh zone capacity, It	-	19
Number of height adjustable safety glass shelves	3	3
Number of chrome coated wine rack	1	1
Chrome coated door rack accessory	•	•
Number of transparent crispers	1	1
FREEZER FEATURES		
Star rating	4	4
Fast freeze function	-	-
Auto defrost	-	-
Number of transparent drawers	2	3
Number of transparent flaps	1	1
HYGIENE		
Antibacterial door gaskets	•	•
PERFORMANCE		
Energy efficiency class	A+	A+
Climate class	ST	SN
Energy consumption, kWh/year	264	275
Cooling gas	R600a	R600a
TECHNICAL INFORMATION		
Noise level, dBA	38	38
Total power, W	85	125
Supply voltage, V/Hz	230 / 50	230 / 50
Amperage, A	0,6	0,5
Freezing capacity, kg/24h	2,5	3,5
Temperature rise time, h	13	13
DIMENSIONS		
Product dimensions (HxWxD), mm	1770x540x535	1770x540x535
Niche dimensions (HxWxD), mm	1789x560x550	1789x560x550
BUILD DETAILS		
Reversible door	•	•
smartFIX, integrated hinges	-	-
COLOUR OPTIONS		

BUILT-IN REFRIGERATION

MODEL CODE	TSM 1750 u	FSE 1630 u
Туре	Built Under Larder Fridge	Built Under Freezer
Height, cm	82	82
Control system	Mechanic	Electronic
Cooling system	Static	Static
CAPACITIES	Claire	Otatio
Total gross volume, It	130	96
Total net volume, It	128	87
Fridge net volume, It	128	-
Freezer net volume, It	-	87
FRIDGE FEATURES		•
Fast cool function	- 1	-
0-3°C super fresh zone capacity, It	-	-
Number of height adjustable safety glass shelves	3	-
Number of chrome coated wine rack	-	-
Chrome coated door rack accessory	•	-
Number of transparent crispers	-	-
Number of telescopic removable drawers	-	-
Separators and boxes	-	-
FREEZER FEATURES		
Star rating	- 1	4
Fast freeze function	-	-
Auto defrost	-	-
Number of transparent drawers	-	3
Number of transparent flaps	-	-
Number of telescopic removable drawers	-	-
Separators and boxes	-	-
Icemaker and icebox	-	-
Handy rack	-	•
HYGIENE		
Antibacterial door gaskets	•	•
PERFORMANCE		
Energy efficiency class	A+	A+
Climate class	SN-T	SN-T
Energy consumption, kWh/year	118	191
Cooling gas	R600a	R600a
TECHNICAL INFORMATION		
Noise level, dBA	39	39
Total power, W	50	50
Supply voltage, V/Hz	230 / 50	230 / 50
Amperage, A	0,21	0,24
Freezing capacity, kg/24h	-	10
Temperature rise time, h	-	19
DIMENSIONS		
Product dimensions (HxWxD), mm	813-863x595x545	813-863x595x545
Niche dimensions (HxWxD), mm	820-870x600x550	820-870x600x550
BUILD DETAILS		
Reversible door	•	•
Sliding hinges	-	-
smartFIX, integrated hinges	•	•
COLOUR OPTIONS		
Fully integrated	•	•
Glass door	-	-

FREESTANDING COOKERS

Туре	60cm Gas cooker	60cm Electric cooker
НОВ		
Adjustable Flame settings	•	-
Cast Iron Pan Supports	•	:
Hob on indicator	-	•
Ignition	• • • • • • • • • • • • • • • • • • •	-
Location	Front control with easy grip knobs	Front control with easy grip knobs
Flame Safety Devices	On all burners	-
No. Of Burners	4 2.9 KWR	4
Front left/ right - Rapidlite		Ø180 - 1700 W
Front left	1 KW	Ø140 - 1200 W
Front right	•	-
Rear left/ right - Rapidlite		
Rear left	2 KW	Ø140 - 1200 W
Rear right	2 KW	Ø180 - 1700 W
TIMER	Fully programmable Digital Times	Fully programmable Digital Timer
Function TOP OVEN	Fully programmable Digital Timer	Fully programmable Digital Timer
TOP OVEN		Δ.
Energy Rating Thermostatically Controlled	-	A •
Thermostatically Controlled	—	
Grill Type	Pagagonal avill . Integrated in the Over-	Passaged grill - Integrated in the Oven
Fully Variable Grill	Recessed grill + Integrated in the Oven	Recessed grill + Integrated in the Oven
		-
Grill Pan with Internal Rack & handle	35	● 35
Volume (litres)		
Door Opening	Glass Drop down	Glass Drop down
Door Opening	Drop down	Drop down
Interior Light		-
Interior Cleaning Shelves	Easy clean grey enamel	Easy clean grey enamel
Shelves Shelf Positions	1 2	1 2
	ζ	<u> </u>
MAIN OVEN Energy Rating		1
Thermostatically Controlled	-	A
	65	
Volume (litres)	Fixed full glass door	65
Door Type		Fixed full glass door
Door opening	Swing left	Swing left
Interior Light Cleaning	Easy Clean enamel + Side panels with Self Clean catalytic liners	Easy Clean enamel + Side panels with Self Cle catalytic liners
Shelves	2	2
Shelf Positions	5	5
cooking tray		•
ACCESSORIES		-
4 adjustable feet	•	
Auto Shut off lid		<u> </u>
Removable glass doors	•	•
COOKING FUNCTIONS		
Gas Cooking	•	T .
Static Cooking		•
Fan Cooking		<u> </u>
Fan Grilling		† <u> </u>
Grill Cooking	•	•
PERFORMANCE		
Energy efficiency class		I AA
Total power, W	12,700 W	9,900 W
Energy consumption:	12,700 W	- 5,300 W
Conventional, kWh		0,79
Fan heating, kWh	-	0,88
TECHNICAL INFORMATION		0,00
Supply voltage, V/Hz	220 - 240 / 50 Hz	220 - 240 / 50 Hz
Amperage, A	13	minimum 32
Gas power, W	12,700 A	-
Electric power, W	12,100 A	9,900 W
CE / VDE approved	CE / EN30 Approved	5,300 W
LPG conversion kit available	ΘΕ / ΕΝΙΟ Αμριονέα	† .
DIMENSIONS		
Product dimensions (HxWxD), mm	900x600x600	900x600x600
Packed dimensions (HxWxD), mm	1025x660x700	1025x660x700
Unpacked weight, kg	64.3	62.9
Packed weight, kg	68	66.6
COLOUR OPTIONS		00.0
	GGN9351 - White	HKN9310 - White
White Black	GGN9351Z - Black	HKN9310Z - Black

FREESTANDING WASHING MACHINES

MODEL CODE	WNF 8447 A40	WNF 7341	WNF 6341	WNF 6221
Туре	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Machine	Full Electronic Washing Ma
MAIN FEATURES	8	7	6	6
Load capacity, kg Drum volume, It	64	55	50	50
Control type	LCD			Knob & LED
Temperature options,°C (not available on all programmes)	90, 60, 40, 30, no heat	Knob & digital display 90, 60, 40, 30, no heat	Knob & digital display 90, 60, 40, 30, no heat	90, 60, 40, 30, no hea
Maximum spin speed, rpm	1400	1400	1400	1200
Spin speed options	Variable: 600, 800, 1000, 1200, 1400	Variable: 600, 800, 1400	Variable: 600, 800, 1400	Variable: 600, 800, 120
No spin	Up to 24 hr	● Up to 19 hr	• · · · · · · · · · · · · · · · · · · ·	0.40.401
Time delay			Up to 19 hr	3 / 6 / 9 hr
Remaining time	•	•	•	
Automatic water adjustment system	•	•	•	•
Durable heater	•	•	•	•
Drum material	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Porthole diameter, cm	34	30	30	30
Door opening angle	165	165	165	165
Door hinge	Left hand side	Left hand side	Left hand side	Left hand side
Cold fill	•	•	•	•
PROGRAMMES				
Number of programmes	16	11	11	11
Hand wash	•	•	•	•
Dark wash	•	•	•	•
Woollens	•	•	•	•
Sportswear	-	•	•	•
Shirts	•	•	•	•
Mini 14'	•	•	•	•
Cottons	•	•	•	•
Rinse	•	•	·	•
Spin + Drain		•	•	•
Synthetics	•	•	•	•
	-		-	-
Bedding	 	-		
Hygiene A vi 40		-	-	-
Active 40	•	-	-	-
Full fast load	•	-	-	-
Viscose	•	-	-	-
Delicates	•	-	-	-
Cottons eco	•	•	•	•
FUNCTIONS				
Prewash	•	•	•	•
Quick wash	•	•	•	•
Rinse plus	•	•	•	•
Rinse hold	-	•	•	•
Anticreasing	•	-	-	•
SAFETY				
aquAvoid	•	•	•	•
Child lock	•	•	•	•
Door lock	•	•	•	•
Child lock indicator light	•	-	-	-
No water warning indicator light	•	•	•	•
PERFORMANCE				
Energy efficiency class	A+++**	A+*	A+*	A+*
Washing performance	A	A	A	A
Spin drying performance	B	В	В	В
Energy consumption (Cotton 60°), kWh	0.74	1.1	0.9	0.9
Water consumption (Cotton 60°), It	52	41	40	40
Annual energy consumption, kWh/Year	171	210	182	182
Annual water consumption, kWh/Year	11440	9020	8800	8800
Standard cycle duration (Cotton 60°), min	205	151	151	151
Standard Cycle duration (Cotton out), ffiffi				
Noise levels (washing and spinning), dBA	54 / 73	57 / 74	57 / 73	58 / 72
Remaining moisture, %	53	53	53	53
TECHNICAL INFORMATION				
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50
Total power, W	2200	2200	2200	2200
Amperage, A	10	10	10	10
Water supply connection 3/4"	•	•	•	•
Water pressure range, N/cm2	1 - 100	1 - 100	1 - 100	1 - 100
Water connection	Cold	Cold	Cold	Cold
Cable length, cm	150	150	150	150
Maximumum possible height from floor to water connection, cm	75	75	75	75
CE / VDE approval	•	•	•	•
DIMENSIONS***				
Product dimensions (HxWxD), mm	840x600x600	840x600x540	840x600x500	840x600x500
Packed dimensions (HxWxD), mm	880x650x660	880x650x610	880x650x575	880x650x575
Unpacked weight, kg	75	70	68	64
unpaureu weigin, ry			70	65
Packad waight ka				
Packed weight, kg COLOUR OPTIONS	76	71	70	- 03

^{* 10%} less energy consumption than "A" class.

** 10% less energy consumption than "A+++" class

*** Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING TUMBLE DRYER

MODEL CODE	TKF 8451 AG50	TKF 8439 A
Туре	Heat Pump Dryer	Condenser Dryer
MAIN FEATURES		
Load capacity, kg	8	8
Drum volume, It	118	118
Control type	Mini LCD	Mini LCD
Time delay	1-24 h	1-24 h
Remaining time	•	•
Stainless steel drum and tank	•	•
Interior drum light	<u> </u>	•
Bi-directional drum action	<u> </u>	•
Automatic sensor drying	-	•
Auto cool-down	•	
Auto anti-creasing cycle	•	•
Mains drain option	•	•
3-level drying	•	•
Vent hose	-	-
Porthole diameter (HxW), cm	39,5x32	39,5x32
Door type	Ellipse	Ellipse
Door opening, ^o	150	150
Door hinge	Left hand	Left hand
PROGRAMMES		23.110.10
Number of programmes	16	16
Wool refresh	•	•
Silk refresh	-	•
Refresh	•	•
Lingerie	•	•
Viscose	•	•
Jeans	•	•
Sportswear	•	•
Shirts	•	•
Shirts 15'	-	•
Mini 30'	-	-
Delicate	-	-
Mix	•	•
Ready to iron (cotton)	•	•
Ready to wear (cotton)	•	•
Extra dry (cotton)	<u> </u>	<u>_</u>
Ready to iron (synthetic)	•	•
Ready to wear (synthetic)	•	•
Timed programme	•	•
SAFETY		
Child lock	•	•
End of cycle buzzer	•	•
Warning indicators:		
Child lock	•	•
Clean filter	•	•
Water-tank full	•	•
PERFORMANCE		· ·
Energy efficiency class	A*	В
Energy consumption, kWh	1.92	4,49
Standard cycle duration (cotton, 1000 rpm, 60% moisture), min	145	125
TECHNICAL INFORMATION		
Supply voltage, V/Hz	230-240 / 50	220-230 / 50
Total maximum power, W	900	2700
Amperage, A	10	12
Cable length, m	1,5	1,5
Maximum possible hose length, cm	200	-
CE / VDE approval	•	•
DIMENSIONS		<u> </u>
Product dimensions (HxWxD), mm	850x600x600	846x595x598
Product dimensions (HxWxD), mm Packed dimensions (HxWxD), mm	880x650x660	
		880x650x660
Height with worktop, mm	-	846
Height without worktop, mm	-	819
Unpacked weight, kg	54.5	40
Packed weight, kg	57	43
COLOUR OPTIONS		

^{* 50%} better than A class standard
** Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING DISHWASHER

MODEL CODE	GSN 9476 A	GSN 9120	GSS 9260
Туре	60 cm Full Size Electronic Dishwasher	60 cm Full Size Electronic Dishwasher	45 cm Slimline Electronic Dishwash
MAIN FEATURES			
Place settings	13	12	10
Control type	Knob & LCD	Knob & LED	Knob & LED
Time delay	24 hr	3 / 6 / 9 hr	3/6/9 hr
Programme follower	•	•	•
Drying system	Turbo Fan	Hot air drying	Hot air drying
Salt and rinse aid indicators	•	•	•
Cold fill	•	•	•
PROGRAMMES		-	
Number of programmes	7	5	5
Prewash	•	ŏ	ě
Mini 30' 35°	•	•	
Eco 50°	•	•	_
	-	<u> </u>	<u> </u>
A express 58'	•	-	-
Intensive 70°	-	-	
Auto 40-65	•	-	•
Delicate 40	•	-	-
SPECIAL FUNCTIONS			
Half load	•	•	-
Time delay	•	•	•
INTERIOR DESIGN			
smartRACK, loaded adjustable upper basket	•	•	Unloaded adjustable
Height adjustable shelves for mugs	•	•	Fixed
Foldable plate supports in the lower basket	•	•	•
Cutlery basket	Sideways sliding	Sideways sliding	•
Metal filter	•	•	•
SAFETY			
aguAvoid™ plus	•	•	•
DMFS double motion float system	•	•	•
Antibacterial seal	•	•	•
PERFORMANCE	-	_	
Energy efficiency class	A+	I A	I A
Cleaning performance	A	Ä	A
Drying performance	A	Ä	Ä
	10	15	12
Water consumption, It			
Energy consumption, kWh	0.94	1,05	0.91
Annual energy consumption, kWh/year	271	307	257
Annual water consumption, kWh/year	2800	4200	3360
Noise level, dBA	43	48	49
TECHNICAL INFORMATION			
Supply voltage, V/Hz	220-240 / 50	220-240 / 50	220-240 / 50
Total power, W	2200	2200	2200
Amperage, A	10	10	10
Water supply connection 3/4	•	•	•
Water pressure range, N/cm2	3 to 100	3 to 100	3 to 100
Warm water connection, °C	60	60	60
Cable length, cm	180cm	180cm	180cm
Maximumum possible height from floor to water connection, cm	110	110	110
Maximum possible hose length, cm	180	180	180
Maximum accepted water hardness	60	60	60
Maximum temperature for water intake, °C	60	60	60
CE / VDE approval	•	•	•
DIMENSIONS*			
Product dimensions (HxWxD), mm	850x600x598	850x600x598	850x448x598
Product differencias (IL-MAD)			
Packed dimensions (HxWxD), mm	889x644x661	889x644x661	889x494x661
	82	82	82
Feet adjustable by, cm	1.5	1.5	1.5
Height without worktop, cm Feet adjustable by, cm Unpacked weight, kg	1.5 49	45	41.5
Feet adjustable by, cm Unpacked weight, kg Packed weight, kg	1.5		
Feet adjustable by, cm Unpacked weight, kg	1.5 49	45	41.5

 $[\]ensuremath{^{\star}}$ Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION - FRENCH DOOR FRIDGE FREEZER

MODEL CODE	KFD 9952 PXD	
Туре	French doors fridge & freezer drawers com	
Height, cm	182	
Control system	Electronic control & touch buttons	
Cooling system	Frost Free	
CAPACITIES		
Total gross volume, It / cu.ft	600 / 21.2	
Total net volume, It / cu.ft	549 / 19.4	
Fridge net volume, It / cu.ft	395 / 14	
Freezer net volume, It / cu.ft	154 / 5.4	
FRIDGE FEATURES		
Frost free	•	
Quick cool function	•	
0-3°c Super Fresh Zone	•	
Blue zone	•	
Number of height adjustable glass shelves	2	
Number of chrome coated wine racks	-	
Number of door racks / type	6	
Number of transparent crispers	2	
Chilled water dispenser (plumbing required)	•	
Inner illumination LED	•	
FREEZER FEATURES		
Star rating	4	
Fast freeze function	•	
Frost free	•	
Number of drawers	2	
Automatic Ice maker (plumbing required)	•	
Ice cube bank	<u> </u>	
HYGIENE		
Antibacterial seal	•	
Antibacterial seal Antibacterial handle		
PERFORMANCE		
Energy efficiency class	A+	
Climate class	SN-T	
Energy consumption, kWh/year	458	
Cooling gas	R600a	
TECHNICAL INFORMATION	Nooua	
Supply voltage, V/Hz	240	
	40	
Noise level, dBA	40	
Fan ventilation	13.5	
Freezing capacity, kg/24 h		
Temperature rise time, h	22	
DIMENSIONS*	100.04.74 5	
Product dimensions (HxWxD), cm - excluding handles	182x84x74.5	
Packed dimensions (HxWxD), cm	191x90.7x82	
BUILD DETAILS	N/A	
Reversible doors	N/A	
Door hinge	Right and left hand side	
Adjustable front feet	•	
Handle type	External	

 $^{^{\}star}$ Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION

MODEL CODE	KGM 9690 P / KGM 9690 PX	KGM 9680 P / KGM 9680 PX	KGM 9550 P KGM 9550 PX
Туре	Combi Fridge Freezer	Combi Fridge Freezer	Combi Fridge Freezer
Height, cm	191	190.5	182
Control system	Electronic control w/o display	Electronic control	Electronic control
Cooling system	Frost Free	Frost free	Frost free
CAPACITIES			
Total gross volume, It / cu.ft	402 / 14.2	315 / 11.1	300 / 10.5
Total net volume, It / cu.ft	348 / 12.3	269 / 9.5	244 / 8.6
Fridge net volume, It / cu.ft	230 / 8.2	175 / 6.2	157 / 5.5
Freezer net volume, It / cu.ft	118 / 6.0	94 / 3.3	87 / 3.1
FRIDGE FEATURES	,	3.733	
Frost free	Auto Defrost	Auto defrost	Auto defrost
Quick cool function	-	-	-
Number of height adjustable glass shelves	3	3	3
Number of chrome coated wine racks	1	1	1
Number of door racks	3	3	3
Chrome coated bottle retainer	1	1	-
Number of transparent crispers	2	 1	1
Interior light	•	<u> </u>	•
FREEZER FEATURES		-	
Star rating	4	4	4
Fast freeze function	-	<u> </u>	<u>.</u>
Frost free	•	•	•
Number of drawers	4	4	3
Number of diaps		-	1
Twist & serve ice cube tray	•	•	<u> </u>
Ice bank tray	•	•	•
HYGIENE	-	-	-
Antibacterial seal	•	•	•
Antibacterial handle	•	•	-
PERFORMANCE			
Energy efficiency class	A+	A+	A+
Climate class	SN/T	SN	SN
Energy consumption, kWh/year	391 /391	345 - KGM 9680 265 - KGM 9680 PX	329 - KGM 9550 251 - KGM 9550 PS
Cooling gas	R600a / R600a	R600a	R600a
TECHNICAL INFORMATION			110000
Supply voltage, V/Hz	230 /50	230 / 50	230 / 50
Noise level, dBA	41 / 41	41	41
Freezing capacity, kg/24 h	6	6	4
Temperature rise time, h DIMENSIONS*	18	13	13
Product dimensions (HxWxD), mm	1910x700x600	1905x595x600	1820x545x600 mm
Packed dimensions (HxWxD), mm	1980x770x680	1952x665x680	1890x575x680 mm
BUILD DETAILS	1300/170/000	193240034000	103073137000 111111
Reversible doors	•	•	•
Door hinge	Right hand side	Right hand side	Right hand side
Adjustable front feet	Night hand side	Algrit rialid side	night hand side
Handle type	External	External	External
COLOUR OPTIONS	EXIGHIAL	EXIGINAL	Externgl
White	KGM 9690 P	KGM 9860 P	KGM 9550 P
WILLE	NGIVI 9090 P	KGIVI 980U P	NGIVI 9000 P

 $^{^{\}ast}$ Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION

MODEL CODE	SOM 9651 P	FNT 9671 P	
Туре	Tall Larder Fridge	Tall Freezer	
Height, cm	171	171	
Control system	Mechanic	Electronic control	
Cooling system	Auto defrost	Frost free	
CAPACITIES	Auto dell'ost	110311166	
Total gross volume, lt / cu.ft	370 / 13.1	265 / 9.4	
Total net volume, It / cu.ft	335 / 11.8	200 / 3.4	
Fridge net volume, It / cu.ft	335 / 11.8	227 / 8.0	
Friege net volume, it / cu.ft	333 / 11.0	227 / 8.0	
FRIDGE FEATURES	-	221 / 0.0	
Frost free	Auto Defrost		
Quick cool function	Auto Dellost	-	
0-35°C super fresh zone	-	-	
Number of height adjustable glass shelves	4	-	
Number of neight adjustable glass sherves Number of chrome coated wine racks	1	-	
Number of chrome coated wine racks Number of door racks	4	-	
	4	-	
Chrome coated rack accessory		-	
Number of transparent crispers Interior light	1	-	
FREEZER FEATURES	•	-	
Star rating		4	
Fast freeze function	-	•	
Frost free	-	•	
Number of drawers		5	
Number of flaps	-	2	
Twist & serve ice cube tray	-	<u> </u>	
lce bank tray		•	
HYGIENE	•	_	
Hygiene+ antibacterial carbon fitler			
hygAIR ionizing technology	-		
Antibacterial seal	-	•	
Antibacterial seal	•	•	
PERFORMANCE			
Energy efficiency class	A+	A+	
Climate class	SN	SN	
Energy consumption, kWh/year	163	309	
Cooling gas	R600a	R600a	
TECHNICAL INFORMATION	11000a	11000a	
Supply voltage, V/Hz	230 / 50	230 / 50	
Noise level, dBA	38	40	
Fan ventilation	•	●	
Freezing capacity, kg/24 h	-	20	
Temperature rise time, h		13	
DIMENSIONS*		10	
Product dimensions (HxWxD), mm	1710x605x600	1710x605x600	
Packed dimensions (HxWxD), mm	1810x665x680	1810x665x680	
BUILD DETAILS	10100000000	101000030000	
Reversible doors	•	•	
Handle type	External	External	
COLOUR OPTIONS	EXICITIAL	EXICIII	

 $[\]ensuremath{^\star}$ Dimensions exclude any protruding features such as handles, knobs and bowed doors.

FREESTANDING REFRIGERATION


MODEL CODE	TSM 1551 P	TSM 1541 P	FNE 1531 P	FTM 1531 P
Туре	Undercounter Larder Fridge	Undercounter Fridge with 4 Star Freezer	Undercounter Frost Free Freezer	Undercounter Freezer
Height, cm	85	85	85	85
Control system	Mechanic	Mechanic	Electronic control	Mechanic
Cooling system	Static	Static	Frost Free	Static
CAPACITIES				
Total gross volume, cu.ft / It	135 / 4.8	120 / 4.2	90 / 3.2	102 / 3.6
Total net volume, cu.ft / It	130 / 4.6	114 / 4.0	75 / 2.6	85 / 3.0
Fridge net volume, cu.ft / It	130 / 4.6	101 / 3.5	-	-
Freezer net volume, cu.ft / It FRIDGE FEATURES	-	13 / 0.5	75 / 2.6	85 / 3.0
Auto defrost	•	•	-	-
Number of height adjustable glass shelves	3	2	-	-
Number of door racks	3	3	-	-
Number of transparent crispers	1	1	-	-
Interior light	•	•	-	-
FREEZER FEATURES				
Star rating	-	4	4	4
Manual defrost	-	•	Frost Free	•
Number of drawers	-	-	2	2
Number of flaps	-	-	1	1
ce cube tray	-	•	•	•
lce bank tray	-	-	•	•
HYGIENE				
Antibacterial seal	•	•	•	•
PERFORMANCE				
Energy efficiency class	A+	A+	A+	A+
Climate class	SN	SN	SN	SN
Energy consumption, kWh/year	151	221	193	204
Cooling gas	R600a	R600a	R600a	R600a
TECHNICAL INFORMATION				
Supply voltage, V/Hz	230 / 50	230 / 50	230 / 50	230 / 50
Noise level, dBA	37	37	39	39
Freezing capacity, kg/24 h	-	2	10.5	10.5
Temperature rise time, h	-	10	10.5	16.5
DIMENSIONS*				
Product dimensions (HxWxD), mm	850x545x600	850x545x600	850x545x600	850x545x600
Packed dimensions (HxWxD), mm	885x575x600	885x575x600	885x575x665	885x575x600
BUILD DETAILS				
Reversible door	•	•	•	•
Door hinge	Right hand side	Right hand side	Right hand side	Right hand side
Adjustable front feet	•	•	•	•
Handle type COLOUR OPTIONS	External	External	External	External


 $[\]ensuremath{^\star}$ Dimensions exclude any protruding features such as handles, knobs and bowed doors.


BUILT-IN INSTALLATION DIAGRAMS


INSTALLATION DIAGRAMS


All measurements in (mm)















BUILT-IN WASHING MACHINE WMI 7462 W20













Blomberg 36-38 Caxton Way Watford Hertfordshire WD18 8UF Tel: 0845 850 5008 Fax: 0845 600 4925 www.blomberguk.com